

Mark Scheme (Results)

Summer 2013

GCSE Physics (5PH2F) Paper 01

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.btec.co.uk">www.btec.co.uk</a> for our BTEC qualifications.

Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

If you have any subject specific questions about this specification that require the help of a subject specialist, you can speak directly to the subject team at Pearson. Their contact details can be found on this link: <a href="https://www.edexcel.com/teachingservices">www.edexcel.com/teachingservices</a>.

You can also use our online Ask the Expert service at <a href="www.edexcel.com/ask">www.edexcel.com/ask</a>. You will need an Edexcel username and password to access this service.

## Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

Summer 2013
Publications Code UG036891
All the material in this publication is copyright
© Pearson Education Ltd 2013

## **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- For questions worth more than one mark, the answer column shows how partial credit can be allocated. This has been done by the inclusion of part marks eg (1).
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

## **Quality of Written Communication**

Questions which involve the writing of continuous prose will expect candidates to:

- Write legibly, with accurate spelling, grammar and punctuation in order to make the meaning clear
- Select and use a form and style of writing appropriate to purpose and to complex subject matter
- Organise information clearly and coherently, using specialist vocabulary when appropriate.

Question	Answer	Acceptable	Mark
Number		answers	
1(a)	sterilisation of medical equipment alpha	one mark for each correct line	
	household fire (smoke) alarm beta		
	gauging thickness of cardboard gamma		
	irradiating food		(4)

Question Number	Answer	Acceptable answers	Mark
1(b)	⊠ <b>D</b>		(1)

Question	Answer	Acceptable answers	Mark
Number			
1(c)	☑ B becquerel		(1)

Question Number	Answer	Acceptable answers	Mark
1(d)	A description including any two		
	from:	either the purpose, such as	
	secure storage (1)	to prevent radiation getting out or a description such as lead-lined box/locked away when not in use. do not touch / use tongs /wash	
	avoid direct contact (1)	after handling	
	wear protective clothing (1)	lead lined suits/aprons/masks/gloves ignore goggles	
	minimise exposure (1)	long distance away / not pointing towards body/	
	• shielding (1)	keep sources shielded /stand behind shields	
	<ul> <li>minimise dose (1)</li> </ul>	short time	
	• monitor exposure (1)	wear film badge/use Geiger counter (to monitor radiation	
	• protect other people (1)	levels) warning signs / barriers / restricted areas /controlled areas	(2)

Question Number	Answer	Acceptable answers	Mark
2 (a)	an explanation linking: balloons repel (1) (because) they have like charges (1)	balloons repulse / push away (from each other/to the side) same charge / both positive / both negative	
		accept like charges repel for 2 marks	(2)

Question	Answer	Acceptable answers	Mark
Number			
2 (b)(i)	■ D an equal positive charge		(1)

Question	Answer	Acceptable answers	Mark
Number			
2(b)(ii)	an explanation linking any two of		
	friction (between cloth and balloon) (1)		
	transfer of electrons (1)	charge/electrons move	
		_	
	(electrons/negative charges move) from cloth to balloon (1)	accept balloon gains electrons from the cloth for 2 marks	(2)

Question	Answer	Acceptable answers	Mark
Number			
2(b)(iii)	a description including <b>two</b> from		
	the following:		
	<ul> <li>balloon becomes discharged</li> <li>(1)</li> </ul>	earthed / neutral	
	<ul> <li>metal /cabinet is a conductor</li> <li>(1)</li> </ul>	(negative) charge for electrons	
	<ul><li>electrons {move through / on</li></ul>		
	to} metal / cabinet (1)	accept electrons move to earth for 2 marks	(2)

Question Number	Answer	Acceptable answers	Mark
2(b)(iv)	(surface of) wall (becomes) positively charged /charged by induction (1)	charges on the wall separate charge closest to the surface of the wall is opposite to the charge on the balloon	(1)

Question	Answer	Acceptable answers	Mark
Number			
3 (a)	☑ D a variable resistor		(1)

Question Number	Answer	Acceptable answers	Mark
3(b)(i)	connected in parallel with lamp (1)	recognisable symbol such as a box with letter V inside or box with the word voltmeter inside it accept voltmeter across both lamp and ammeter	(1)

Question Number	Answer		Acceptable answers	Mark
3(b(ii)	Substitution R = 6.0 / 0.26	(1)		
	Evaluation = 23	(1)	An answer which rounds to 23  Give full marks for correct answer no working	(2)

\_\_\_\_

Question	Answer	Acceptable answers	Mark
Number			
3(c)(i)	point correctly plotted at 2.0,		
	0.14 to within half a small square	Judge curve by eye.	
	(1)	If more than one line present	
		then ignore any that appear to	
	smooth curve of best fit	be erased or deleted.	
	connecting all given points within	Ignore any part of line which	
	half a small square (1)	goes beyond given points.	
		If plotted point is incorrect then	(2)
		allow ecf for line	

Question Number	Answer	Acceptable answers	Mark
3(c)(ii)	a description including <b>two</b> of the following:		
	<ul> <li>current increases as voltage increases (1)</li> <li>current is not proportional to the pd (1)</li> <li>gradient gets less (1)</li> </ul>	Allow reverse argument  positive correlation (between them )  graph is not a straight line not in equal steps  current does not increase as much (as it gets higher)  accept resistance has increased with increase in current for two marks	(2)

Question Number	Answer	Acceptable answers	Mark
3(c)(iii)	a suggestion to include:		
	there is still a current (when control is at min position) (1)	to break the circuit to switch <b>the current</b> off accept flow of electricity/charge/electrons for current	
	make the battery last longer (1)	{battery / energy} would be {drained /used up/ wasted} otherwise accept reverse arguments	
		ignore reference to power / volts	(2)

Question	Answer	Acceptable answers	Mark
Number			
4(a)(i)	does not emit (ionising) radiation /	it is not radioactive	(1)
	no (radioactive) decay		

Question	Answer	Acceptable answers	Mark
Number			
4 (a)(ii)	<b>図 B</b> 5		(1)

Question Number	Answer	Acceptable answers	Mark	
4 (a)(iii)	<sup>8</sup> <sub>4</sub> Be			
	⊠A		(1)	

Question	Answer			Acceptable	answers	Mark
Number						
4(b)(i)		helium		daughter		
	beryllium (1)		(1)		in right hand boxes	
		helium		daughter	G	(2)

Question Number	Answer	Acceptable answers	Mark
4(b)(ii)	a comparison which describes any three of the following:  similarities:   • produce (more) neutrons (1)   • produce 'daughter' (nuclei) (1)  • release energy (1)   • split a (bigger) nucleus (1)   • (triggered by) a neutron coming in (1)   • nucleus becomes unstable (before splitting) (1)  differences:   • uranium daughters are different from each other/ beryllium daughters are the same (1)   • uranium daughters are heavier than beryllium daughters (1)	different elements / smaller nuclei for daughters do not accept split an atom neutron is absorbed	(3)

Question	Answer	Acceptable answers	Mark
Number			
4(b)(iii)	a description including:		
	neutron(s) (from first fission) (1) (go on to) cause another fission (1)	collide with another nucleus /atom	(2)

Question Number	Answer	Acceptable answers	Mark
5 (a) (i)	8 – 0 (m/s)	8	(1)

Question	Answer		Acceptable answers	Mark
Number				
5(a)(ii)	substitution	_	ecf from (i)	
	8 / 5	(1)	,	
	evaluation	(1)	full marks for correct answer (or	(2)
	1.6 (m/s <sup>2</sup> )		ecf) with no working shown.	

Question Number	Answer	Acceptable answers	Mark
5(a)(iii)	0	Nil / nothing / zero / none (no mark for no response)	(1)

Question Number	Answer		Acceptable answers	Mark
5(b)	substitution F = 1200 x 0.8	(1)	full marks for correct answer with	
	evaluation 960 (N)	(1)	no working shown.	(2)

Question		Indicative Content		
Number				
QWC	*5(c)	<ul> <li>an explanation linking some of the following points:</li> <li>compared to a car with just the driver, a fully loaded car will</li> <li>have a greater mass / be heavier</li> <li>greater kinetic energy / momentum</li> <li>experience the same braking force (when brakes are applied)</li> <li>require a greater braking force (than available) to stop (in the same distance)</li> <li>have a smaller acceleration / deceleration</li> <li>take a longer time to come to rest (from given speed)</li> <li>travel greater distance in this time</li> <li>needs to do more work with same amount of force</li> <li>use of relevant equations such as F = ma, work done</li> <li>F x d</li> </ul>	(6)	
		<ul> <li>consequence of driver distractions</li> </ul>	(0)	
Level	0	No rewardable content	<u> </u>	
1	1 - 2	<ul> <li>a limited explanation using one idea from the indicative co eg fully loaded car is heavier.</li> <li>in answer communicates ideas using simple language and limited scientific terminology</li> <li>spelling, punctuation and grammar are used with limited accuracy</li> </ul>	uses	
2	3 - 4	<ul> <li>a simple explanation which links ideas from the indicative eg it is heavier and so it takes a longer distance to stop</li> <li>the answer communicates ideas showing some evidence of and organisation and uses scientific terminology appropria</li> <li>spelling, punctuation and grammar are used with some accordinate.</li> </ul>	f clarity tely	
3	5 - 6	<ul> <li>a detailed explanation which links several ideas from the indicative content e.g. It has more momentum and so it w a longer time to stop. This means that it will travel a furthed distance. The answer communicates ideas clearly and cohe uses a range of scientific terminology accurately</li> <li>spelling, punctuation and grammar are used with few error</li> </ul>	er erently	

Question Number	Answer	Acceptable answers	Mark
6(a)	kinetic (energy)	Movement (energy) KE	(1)

Question Number	Answer		Acceptable answers	Mark
6(b)	substitution: 0.6 x 20	(1)		
	evaluation 12 (1)		give 2 marks for correct answer no working	
	J (1)		unit is an independent mark joules, Nm, kgm²/s², Ws	(3)

Question Number	Answer		Acceptable answers	Mark
6(c)	substitution: 0.5 x 18	(1)		
	evaluation 9.0	(1)	9	
			give full marks for correct answer no working	(2)

Question Number		Indicative Content		
QWC	*6(d)	<ul> <li>a description including some of the following points:</li> <li>chemical to kinetic while in his hand</li> <li>kinetic (gradually) to potential while rising / from 0-10 m</li> <li>eventually all potential at 10 m with a little thermal (heat) energy</li> <li>some mention of conservation of energy</li> <li>potential (gradually) to kinetic as falls / 10 m-0</li> <li>with a little more thermal (heat) energy</li> <li>at 0 m sound energy</li> <li>at 0 m thermal (heat) energy</li> </ul>	(6)	
Level	0	No rewardable content		
1	1 - 2	<ul> <li>a limited description which identifies a change in one releve type energy or a transfer of energy from one form to anoth e.g. kinetic energy increases. OR kinetic energy changes sound.</li> <li>the answer communicates ideas using simple language and limited scientific terminology.</li> <li>spelling, punctuation and grammar are used with limited accuracy.</li> </ul>	ner to	
2	3 - 4	<ul> <li>a simple description giving detail of a relevant energy change/transfer e.g. kinetic energy changes into potential as it moves upwards OR kinetic energy increases as it falls</li> <li>the answer communicates ideas showing some evidence of and organisation and uses scientific terminology appropriation.</li> <li>spelling, punctuation and grammar are used with some acceptable.</li> </ul>	f clarity tely	
3	5 - 6	<ul> <li>a detailed description of a sequence of relevant energy characteristic formula. It is as it rises. This then changes back into kinetic energy as it back down.</li> <li>the answer communicates ideas clearly and coherently use range of scientific terminology accurately</li> <li>spelling, punctuation and grammar are used with few error</li> </ul>	energy falls es a	

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u> Order Code UG036891 Summer 2013

For more information on Edexcel qualifications, please visit our website  $\underline{www.edexcel.com}$ 

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





