

# Mark Scheme (Results)

January 2018

Pearson Edexcel International GCSE Mathematics A (4MA0) Foundation Paper 2F



# **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <u>www.edexcel.com</u>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

# Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

January 2018 Publications Code 4MA0\_2F\_1801\_MS All the material in this publication is copyright © Pearson Education Ltd 2018

#### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

#### **Types of mark**

- M marks: method marks
- A marks: accuracy marks
- B marks: unconditional accuracy marks (independent of M marks)

#### Abbreviations

- $\circ$  cao correct answer only
- $\circ$  ft follow through
- $\circ$  isw ignore subsequent working
- o SC special case
- $\circ$  oe or equivalent (and appropriate)
- $\circ$  dep-dependent
- $\circ$  indep-independent
- o eeoo each error or omission

# • No working

If no working is shown then correct answers normally score full marks If no working is shown then incorrect (even though nearly correct) answers score no marks.

# • With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme. If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

# • Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

# • Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Internation	al GCSE Maths (4MA0_2F)			
Question	Working	Answer	Mark	Notes
<b>1</b> (a)	$\frac{18}{24}$ , $\frac{6}{8}$	$\frac{3}{4}$	2	M1 any equivalent fraction A1
(b)		$\frac{7}{10}$	1	B1
(c)		$\frac{47}{1000}$	1	B1
(d)		3.25	1	B1
<b>2</b> (a)		24	1	B1
(b)	28–18 or 1.25×8 oe	10	2	M1
				A1
(c)	549÷3 or $\frac{1}{3}$ ×549 (=183)	366	3	M1 M1 for $1 - \frac{1}{3} \left( = \frac{2}{3} \right)$ M1 M1 dep for " $\frac{2}{3}$ "×549 oe
	549–"183" <b>or</b> 2×"183"			M1 M1 dep for " $\frac{2}{3}$ "×549 oe
				A1

Q	uestion	Working	Answer	Mark	Notes
3	(a)		18	1	B1
	(b)		22	1	B1
	(c)		1	1	B1
	(d)		hexagon drawn	1	B1
4	(i)		unlikely	1	B1
	(ii)		cross at 0	1	B1
	(iii)		cross at $\frac{1}{2}$	1	B1
5	(a)		5.5 cm	2	B2 B1 for $5.3 - 5.7$ or $53 - 57$ B1 for cm or mm (consistent with their answer $4.5 - 6.5$ would be cm and $45 - 65$ would be mm) (accept $2.1 - 2.2$ inches)
	(b)(i)		diameter	1	B1
	(b)(ii)		chord	1	B1
	(b)(iii)		segment	1	B1
6	(a)		4	1	B1
	(b)	16 - 3	13	2	M1 for 16 and 3 selected A1

Working	Answer	Mark	Notes
$(3+4+4+5+10+14+16) \div 7$ or $56 \div 7$	8	2	M1
			A1
$1500 \cdot 500(-3) \circ 500 + 500 + 500 \circ 500 \circ 500 + 500 \circ 500\circ 500 \circ 5000\circ 5000\circ 5000\circ 5000\circ 5000\circ 5000\circ 5000\circ 5000\circ 5000\circ $	135	3	M1
	100	0	M1
3 ×40+15			Al
180	2250	3	M1 ft from (a)eg.
$\frac{180}{40}(=4.5)$	2230	5	$3 \times 60 + 15 - "135" (= 60)$
180			
e.g. $\frac{100}{40} \times 500$			$\begin{array}{c} \text{M1}  \text{complete} \\ \text{method} \end{array}  \frac{\text{"60"}}{40} \times 500 + 1500 \end{array}$
			<sup>A1</sup> [SCB1 for $\frac{195}{40} \times 500$ or $\frac{190}{40} \times 500$
			seen as working]
	11 40 (am)	2	B2 B1 for a time using 11(am) eg 11 20 or
			for a time with hours and 40 (mins)
			where the hours < 13, eg 10 40
	05	2	MI
	83	5	M1
$(475 - "220") \div 3$			M1 complete method
			A1
	-	$(3+4+4+5+10+14+16) \div 7$ or $56 \div 7$ 8 $1500 \div 500(=3) \text{ or } 500 + 500 \div 600 \text{ oe}$ 135         "3"×40+15       2250 $\frac{180}{40}(=4.5)$ 2250         e.g. $\frac{180}{40} \times 500$ 1140 (am) $2\times110(=220)$ 85	$(3+4+4+5+10+14+16) \div 7$ or $56 \div 7$ 8       2 $1500 \div 500(=3) \text{ or } 500 + 500 + 500 \text{ oe}$ 135       3         "3"×40+15       2250       3 $\frac{180}{40}(=4.5)$ 2250       3         e.g. $\frac{180}{40} \times 500$ 1140 (am)       2 $2 \times 110(=220)$ 85       3

Question	Working	Answer	Mark	Notes
<b>9</b> (a)		two of 1, 2, 3, 6		B2 For 2 correct common factors of from 1, 2, 3, 6 -1 for each error or omission
(b)		e.g. 36	1	B1 for any multiple of 36
10	2x+3x+67+48=360  or  360-67-48(=245) (360-67-48)÷5 or "245"÷5	49	3	M1 M1 Dep or for ongles of $2u = 0.00\%$ or
				M1 Dep or for angles of $2x = 98^{\circ}$ or $3x = 147^{\circ}$ (may be on diagram) A1
11	$\frac{1}{2} \times 9 \times 12 (= 54) \text{ or } 9 \times 12 \times 25 (= 2700)$ "54"×25 or "2700"×0.5	1350	3	M1NB: surface area calculation scores no marksM1depA1
<b>12</b> (a)	3×7-2×9 or 21-18	3	2	M1 A1
(b)		9x-2y	2	B2 B1 for $9x$ or $-2y$
(c)	4t = 18 - 5 or $4t = 13$	$3\frac{1}{4}$	2	M1 A1 oe eg. $\frac{13}{4}$ or 3.25

Question	Working	Answer	Mark	Notes
(d)		5(5m+6n)	1	B1
(e)		$2p^2-3p$	1	B1
<b>13</b> (a)	125 : 175	5:7	2	M1 for any equivalent ratio or 7 : 5 A1 Accept 1 : 1.4
(b)	750÷125 oe (=6) <b>or</b> 8÷1.5 oe (=5.3333)	5	2	M1 A1
14 (a)	eg. $\frac{10}{24}$ $\frac{21}{24}$ $\frac{18}{24}$ $\frac{12}{24}$ $\frac{9}{24}$ or 0.416, 0.875, 0.75, 0.5, 0.375	$\frac{9}{24}  \frac{5}{12}  \frac{1}{2}  \frac{3}{4}  \frac{7}{8}$	2	<ul> <li>M1 correct conversion of at least 3 fractions into the same form (common denominators or decimals) or at least 4 fractions in correct order in answer</li> <li>A1</li> </ul>

Question	Working		Answer	Mark	Notes
14 (b)	$\frac{2}{7} \times \frac{5}{4}$		$\frac{5}{14}$	2	M1
	$\frac{2}{7} \times \frac{5}{4} = \frac{10}{28} = \frac{5}{14}$ or 1 5 5				A1 answer from correct working with $\frac{10}{28}$ oe seen or $\frac{5}{14}$ from correct
	show cancelling giving $\frac{1}{7} \times \frac{5}{2} = \frac{5}{14}$				cancelling
	Alternative method		$\frac{5}{14}$	2	
	$\begin{array}{c c} \frac{10}{35} \div \frac{28}{35} \\ \text{oe} \end{array} \qquad \begin{array}{c} \frac{2}{4} = 0.5 \ \frac{7}{5} = 1.4 \\ \end{array}$		14		M1
	$\frac{10}{28} = \frac{5}{14} \text{ oe} \qquad \frac{0.5}{1.4} = \frac{5}{14}$				A1 answer from correct working with $\frac{10}{28}$ oe seen or from use of decimals
					$\frac{28}{\text{with } \frac{0.5}{1.4} \text{ seen.}}$
(c)	$eg\frac{19}{6} - \frac{5}{3}$ (2) $\frac{1}{6} - \frac{4}{6}$ $3\frac{1}{6} - 1\frac{4}{6}$	$\frac{7}{6} - \frac{4}{6}$	$1\frac{1}{2}$	3	M1 common denominator used for subtraction <b>or</b> improper fractions
	$eg\frac{19}{6} - \frac{5}{3} \qquad (2)\frac{1}{6} - \frac{4}{6} \qquad 3\frac{1}{6} - 1\frac{4}{6} \\ eg\frac{19}{6} - \frac{10}{6} \qquad 2 - \frac{3}{6} \qquad 2 - \frac{3}{6}$	$1\frac{7}{6} - \frac{4}{6}$			M1 Method which would lead to $\frac{9}{6}$ oe or $1\frac{3}{6}$ oe
	$\begin{array}{c} \text{eg} \\ \frac{9}{6} = 1\frac{3}{6}\left(\frac{3}{2}\right) = 1\frac{1}{2} \end{array}  1\frac{3}{6} = 1\frac{1}{2} \qquad 1\frac{3}{6} = 1\frac{1}{2} \end{array}$	$1\frac{3}{6} = 1\frac{1}{2}$			dep on first M1 A1 answer from correct working with all steps seen

Question	Working	Answer	Mark		Notes
15		T = 24c + 37r	3	B3	for a correct final answer (award B2 if $T = 24c + 37r$ is incorrectly simplified) If not B3 then B2 for $T = 24c + kr$ or $T = kc + 37r (k \text{ may be } 0)$ or 24c + 37r
					B1 for 24 <i>c</i> or 37 <i>r</i> or $T =$ (linear expression in <i>c</i> and <i>r</i> eg $T = c + r$ but not $T = cr$ )
16	$165 \div 50 (= 3.3)$	3 hours 18 minutes	3	M1	
	$0.3 \times 60 (=18)$ or $3.3 \times 60 (=198)$			M1	
				A1	
17	$110 \div 20 (= 5.5)$ Point marked on bearing of $220^{\circ}$ from <i>C</i>	<i>D</i> marked	3	M1 M1	may be implied by a line of length 5.5 cm or a circle of radius 5.5 cm; allow $\pm 2 \text{ mm}$ [or <i>D</i> marked 5.5 cm from <i>B</i> ] allow $\pm 2^{\circ}$
				A1	<i>D</i> marked in correct position (overlay)
18	$\pi \times 18 \text{ or } 2 \times \pi \times (18 \div 2)$	56.5	2	M1	
				A1	56.5 - 56.6
19		(1, 1) (2, 1) (4, -2) (1, -2)	2	B2	If not B2 then B1 for 3 correct points plotted or for shape in correct orientation or for a correct rotation $90^{\circ}$ anticlockwise [(-5, 0)(-8, 0)(-5, -3)(-6, -3)]

Question	Working	Answer	Mark	Notes
20	e.g. $1 - \frac{1}{12} \left( = \frac{11}{12} \right)$ or $\frac{1}{12} + x + 3x = 1$ " $\frac{11}{12}$ "÷4 or $\left( 1 - \frac{1}{12} \right)$ ÷4 or $1 - \frac{33}{48}$	$\frac{11}{48}$ oe	3	M1 or two fractions that add to $\frac{11}{12}$ eg $\frac{3}{12}, \frac{8}{12}$ or 2.75 or an answer of $\frac{8.25}{12}$ M1 complete method or an answer of
		72.01		$\frac{33}{48} \left(=\frac{11}{16}\right) \text{ or } \frac{2.75}{12}$ A1 or 0.229(16) or 22.9(16)%
<b>21</b> (a)	0.145 × 62 (=8.99) oe (0.145 × 62 000 000(=8 990 000)) oe 62 - "8.99" (62000000-"8990000")	53.01	3	M1M1 for $1 - 0.145$ (=0.855)M1DepM1 dep for " $0.855$ " × 62 (" $0.855$ " × 62 000 000)
	Allow 53 010 000			A1 accept 53 million (53 000 000) if working seen SCB2 if M0 scored then award B2 for digits 5301
(b)	$1656 - 1404 (=252)$ or $\frac{1404}{1656} (= 0.848)$ or for 84.8	15.2	3	M1
	$\frac{"252"}{1656} \times 100 \text{ or } (1 - "0.848") \times 100 \text{ or}$ $100 - "84.8"$			M1 dep
				A1 15.2 – 15.22

Ques	stion	Working	Answer	Mark	Notes
(	(c)	$5 \times 3 + 15 \times 16 + 25 \times 6 + 35 \times 4 + 45 (\times 1)$ or 15 + 240 + 150 + 140 + 45	590	3	<ul> <li>M2 For the addition of 5 products (at least 4 correct) if not M2 then award M1 for multiplication of midpoints (at least 4 correct) by frequencies (without addition) or for the addition of 5 products (at least 4 correct) not using the mid-value where the value is consistently within the interval (including either end)</li> <li>A1 SCB2 for (19.6(6))</li> </ul>
22	(a)		2, 4, 6, 7, 8, 10, 11, 12	1	B1
	(b)		No with reason	1	B1 e.g. 20 is not in the universal set, set <i>A</i> only goes up to 12, etc
	(c)		e.g. 1, 3, 7	2	B2 for 7 and any two of 1, 3, 5, 9 if not B2 then award B1 for three values of which two are correct <b>or</b> for 7 <b>and</b> three or four correct values, none incorrect
23	(a)	$\frac{y^{13}}{y^4}$ or $y^{(1)} \times y^8$ or $y^5 \times y^4$ or $y^{5+8-4}$	y <sup>9</sup>	2	M1
					A1
	(b)	$x^{2} + 7x - 3x - 21$	$x^{2} + 4x - 21$	2	M1 3 terms correct with signs or 4 terms correct ignoring signs or $x^2 + 4x \pm \dots$ or $\dots + 4x - 21$ A1