

GCSE MATHEMATICS 8300/1F

Foundation Tier Paper 1 Non-Calculator

Mark scheme

June 2019

Version: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aga.org.uk

Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

| М | Method marks are awarded for a correct method which could lead to a correct answer. |
|-----------------|--|
| A | Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied. |
| В | Marks awarded independent of method. |
| ft | Follow through marks. Marks awarded for correct working following a mistake in an earlier step. |
| SC | Special case. Marks awarded for a common misinterpretation which has some mathematical worth. |
| M dep | A method mark dependent on a previous method mark being awarded. |
| B dep | A mark that can only be awarded if a previous independent mark has been awarded. |
| oe | Or equivalent. Accept answers that are equivalent. |
| | eg accept 0.5 as well as $\frac{1}{2}$ |
| [a, b] | Accept values between a and b inclusive. |
| [a, b) | Accept values a ≤ value < b |
| 3.14 | Accept answers which begin 3.14 eg 3.14, 3.142, 3.1416 |
| Use of brackets | It is not necessary to see the bracketed work to award the marks. |

Examiners should consistently apply the following principles

Diagrams

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

Responses which appear to come from incorrect methods

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

Questions which ask students to show working

Instructions on marking will be given but usually marks are not awarded to students who show no working.

Questions which do not ask students to show working

As a general principle, a correct response is awarded full marks.

Misread or miscopy

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

Further work

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

Choice

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

Work not replaced

Erased or crossed out work that is still legible should be marked.

Work replaced

Erased or crossed out work that has been replaced is not awarded marks.

Premature approximation

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

Continental notation

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the student intended it to be a decimal point.

| Question | Answer | Mark | Comments | |
|----------|--|------------|--|--|
| 1 | reflex | B1 | | |
| 2 | <i>x</i> = 2 | B1 | | |
| 3 | 6 | B1 | | |
| 4 | $12 \times \frac{1}{2}$ | B1 | | |
| | 382.4 or 362.42 or 15.82 | B1 | implied by correct answer of 380.32 384.48 or 344.52 implies B1 (both additions or both subtractions) | |
| 5(a) | 380.32 | B1ft | ft correct evaluation of their 382.4 – 2.08 or their 362.42 + 17.9 or their 15.82 + 364.5 | |
| | Add | ditional G | uidance | |
| | Do not apply a misread or allow follow through if this results in a subtraction of either two 2 decimal place values or two 1 decimal place values | | | |
| 5(b) | 18.72 | B1 | oe eg 18.720 | |

| Question | Answer | Mark | Comments | |
|----------|--|------------|--|-----|
| | (2, 5) or (8, 5) | B2 | B1 correct point indicated on grid or $(x, 5)$ or $(2, y)$ or $(8, y)$, where x can be x or blank or any other than 13 and y can be y or b any number | |
| 6 | Add | ditional G | | |
| | Mark answer line first, then if no mark | s scored, | check grid for B1 plot | |
| | No tolerance on values of 2 or 8 for B2 but allow half a square tolerance on plotting for B1 | | | |
| | 7 + 5 or 12 | | | |
| | or 17 or 36 | M1 | | |
| 7 | 19 or 19.00 | A1 | 19.0 is M1A0 | |
| | Ado | ditional G | uidance | |
| | Ignore names if used | | | |
| | Condone £19p or £19.00p | | M1 | IA1 |
| | 29 | B1 | | |
| 8(a) | Additional Guidance | | | |
| | Accept words | | | |

| Question | Answer | Mark | Commer | nts | |
|----------|--|-----------|--------|-----|--|
| | 4 50 | ercentage | | | |
| | Additional Guidance | | | | |
| | Ignore attempts to simplify or convert a correct fraction | | | B1 | |
| 8(b) | Ignore probability words unless contra | B1 | | | |
| | 4 out of 50 or 4 in 50 or 4 : 50 is B0 | | | | |
| | however, condone 4 out of 50 or 4 in 50 with a correct fraction, decimal or percentage (together on answer line) | | | B1 | |
| | but do not accept 4:50 with a correct fraction, decimal or percentage (together on answer line) | | | В0 | |
| | $\frac{4}{50}$ seen, but answer 4 | | | В0 | |

| Question | Answer | Mark | Commer | nts |
|----------|---|------------|--|--|
| | 8 + 10 + 14 + 7 or 50 - 4 - 7 or 50 - 11 or 39 | M1 | allow one error (but not a frequencies being add frequencies may be see of fractions (as probabilities denominators as long as same and all probabilities in subtraction method, be must be correct Condone 51 for 50 for M | n as numerators ties) – ignore s they are all the es are < 1 oth frequencies |
| | 39 50 | A1 | oe fraction, decimal or peg 0.78 78% | ercentage |
| | Add | ditional G | Buidance | |
| | Ignore attempts to simplify or convert a correct fraction | | | M1A1 |
| 9(0) | $\frac{8}{100} + \frac{10}{100} + \frac{14}{100} + \frac{6.5}{100}$ (frequencies have one error and no omissions, seen as probabilities, with same denominator) | | | |
| 8(c) | $1 - \frac{11}{50}$ or $1 - \frac{7}{50} - \frac{4}{50}$ is correct for M1 (allow $\frac{50}{50}$ in place of 1) | | | at least M1 |
| | also accept the above with any consistent denominator eg $\frac{52}{52} - \frac{11}{52}$ | | | M1A0 |
| | $\frac{39}{50}$ then 39 as final answer | | | M1A0 |
| | 39 out of 50 or 39 in 50 or 39 : 50 is M1A0 however, condone 39 out of 50 or 39 in 50 with a correct fraction, decimal or percentage (together on answer line) but do not accept 39 : 50 with a correct fraction, decimal or percentage (together on answer line) Ignore probability words unless contradictory, eg 39/50 unlikely | | | |
| | | | | |
| | | | | |
| | Numbers may be shown on the diagram but must then be added (or subtracted from 50 as appropriate) to score M1 | | | |
| | $\frac{39}{51}$ (or denominator other than 50) | | | M1A0 |

| Question | Answer | Mark | Commer | nts |
|----------|--|------|--|-------------------------------------|
| | 1, 2, 3, 6, 9, 18 | B2 | B1 the 6 correct values, son repeated, with no incorrect or 5 or 6 correct values with incorrect values or 4 correct values with 0 or values or 3 correct values with 0 in | ect values n up to 2 or 1 incorrect |
| 9(a) | 9(a) Additional Guidance | | uidance | |
| | Use of products or 'coordinates' is B1 max for at least 2 correct products with 0 or 1 incorrect products eg 1 × 18, 2 × 9, 3 × 6 | | | |
| | eg 1 × 18, 2 × 9, 3 × 6, 4 × 4 | | | B1 |
| | Lists with repeated values cannot score B2, but ignore repeated values in any format for B1 | | | |
| | eg 1, 2, 3, 3 | | | B1 |
| | eg 1 × 18, 2 × 9, 3 × 6, 18 × 1, 9 × 2, 6 × 3 | | | B1 |
| | If a prime factor 'tree' or similar is used, factors must be identified | | | |

| Question | Answer | Mark | Comments |
|----------|---|------------|---|
| | | | |
| | 60 | | B1 any common multiple of 12 and 15 eg 120, 180 |
| | | B2 | B1 at least the first two multiples correct for each of 12 and 15 (ignore errors after first two) |
| | | | B1 $(12 =) 2(\times)2(\times)3$ and $(15 =) 5(\times)3$ |
| 9(b) | | | and 2(×)2(×)5(×)3 ((×)3) (or the equivalent work seen in a correct Venn diagram) |
| | Ade | ditional G | Guidance |
| | Answer 60 with error(s) seen may be These error(s) may occur after the 60 | | |
| | If they have listed both multiples and factors, they must choose multiples to score | | |
| | For B2, 60 must be chosen and not just at the end of a list of multiples | | |

| Question | Answer | Mark | Commer | nts |
|----------|---|-----------|--|------------------|
| | Alternative method 1 | | | |
| | | | oe eg 1640 ÷ 100 | |
| | 820 ÷ 50 or 82 ÷ 5 | M1 | eg counting up in 50s to (allow one error) | at least 800 |
| | | | eg counting down in 50s (allow one error) | to less than 50 |
| | 40.4 | 2.4 | oe eg 16 r 20 or 16 wit | th 20 left |
| | 16.4 or 16+ or over 16 | A1 | allow 16 if 17 is final ans | swer |
| | 17 | A1ft | ft rounding up from a de- remainder with M1 awar | |
| | Alternative method 2 | | | |
| | 850 | M1 | | |
| | 850 ÷ 50 | M1dep | oe eg 85 ÷ 5 | |
| | | | eg counting up in 50s to try to achieve 850 (allow one error) | |
| 10(a) | | | eg counting down in 50s (allow one error) | s to at least 50 |
| | 17 | A1 | | |
| | Additional Guidance | | | |
| | Incorrect remainders or decimals or fractions cannot score the second mark | | | |
| | eg 820 ÷ 50 = 16.2 answer 17 | | | M1A0A1ft |
| | Remainder or decimal not shown, leading to answer of 17 will score full marks | | | M1A1A1ft |
| | eg 820 ÷ 50 = 16. answer 17 | | | |
| | A1ft cannot be scored if their division does not yield a remainder | | | N44 A O A Off |
| | eg 820 ÷ 50 = (exactly) 14 answer 14 | | | M1A0A0ft |
| | 800 ÷ 50 or 16 implies M1 from Alt 1 | | | |
| | 800 ÷ 50 = 16 so 17 needed (oe) | | | M1A1A1 |
| | If 82 ÷ 5 is attempted, allow 16 r 2 or | 16 with 2 | left over for the first A1 | |

| Question | Answer | Mark | Comment | s | |
|----------|---|-------|--|----------------------|--|
| | 13 × 450 | M1 | Accept repeated addition | of thirteen 450s | |
| 10(b) | Correct vertical method of long multiplication with 4500 correct or Correct vertical method of long multiplication with at least one of 650 and 5200 correct or Correct set up of grid method with at least three of the four or six products correct or Correct set up of Gelosia method with at least three of the six products correct or 10 × 450 = 4500 and 3 × 450 = 1350 attempted with at least one correct or 13 × 400 = 5200 and 13 × 50 = 650 attempted with at least one correct | M1dep | oe Allow a placeholder space instead of a physical zero method | e to be present | |
| | 5850 | A1 | | | |
| | Additional Guidance | | | | |
| | For repeated addition method, to scowith a 6 carried into the hundreds col | | | | |
| | Students may choose to multiply 13 by 45 using any method, for the method marks. We do not need the zero to be recovered for either method mark, so 13 × 45 scores at least M1 eg 13 × 45 = 585 scores M2 even if answer line gives 585 eg 13 × 45 vertical method with 450 correct or at least one of 65 and 520 correct eg 13 × 45 using grid method with 40 and 5 rather than 400, 50 and 0, with three of the four products correct eg 13 × 45 using Gelosia method with no zero column, with at least three (of the now four) products correct | | | M2 M2 M2 M2 | |

| Question | Answer | Mark | Comme | ents | | |
|----------|---|------------|---------------------------|------|--|--|
| | Correct shape drawn in any orientation | B1 | | | | |
| | Ado | ditional G | Guidance | | | |
| | eg | | | | | |
| 11(a) | | | | B1 | | |
| | Mark intention with regard to vertices | on dots a | and use of straight lines | | | |
| | Condone wrong size triangles drawn, as long as they are right-angled, scalene and congruent | | | | | |
| | Internal lines must be drawn to show position of triangles | | | | | |
| | Allow students to extend grid with dots but shapes not on (extended) grid cannot score | | | | | |

| Question | Answer | Mark | Comments | |
|----------|---|-----------------------|--------------------------|--|
| | Correct shape drawn in any orientation | B1 | | |
| | | Additional G | uidance | |
| 11(b) | eg | | | |
| | Mark intention with regard to vertice | ces on dots a | nd use of straight lines | |
| | Condone wrong size triangles drawn, as long as they are right-angled, scalene and congruent | | | |
| | Internal lines must be drawn to show position of triangles | | | |
| | Allow students to extend grid with grid cannot score | pes not on (extended) | | |

| Question | Answer | Mark | Comments | |
|----------|--|-------------|-----------------|--|
| | Correct shape drawn in any orientation | B1 | | |
| | Ad | ditional G | uidance | |
| 11(c) | Condone an arrangement which produces | duces an ir | nternal rhombus | |
| | Mark intention with regard to vertices Condone wrong size triangles drawn scalene and congruent | | - | |
| | Internal lines must be drawn to show position of triangles | | | |
| | Allow students to extend grid with do grid cannot score | | | |

| Question | Answer | Mark | Comments | | |
|----------|--|-----------|--|--|--|
| | Alternative method 1 | | | | |
| | 300 ÷ 10 or 30 | M1 | oe | | |
| | their 30 × 6.5 | 1011 | | | |
| | or | | oe | | |
| | their 30 × 6 + their 30 ÷ 2 | | | | |
| | or | M1dep | | | |
| | 300 – their 30 × 3.5 | | | | |
| | or | | | | |
| | 300 – (their 30 × 3 + their 30 ÷ 2) | | | | |
| | 195 | A1 | SC2 105 | | |
| | Alternative method 2 | | | | |
| | 300 ÷ 100 or 3 | M1 | oe | | |
| | their 3 × 65 or 300 – their 3 × 35 | M1dep | oe | | |
| | 195 | A1 | SC2 105 | | |
| 12 | Alternative method 3 | | | | |
| | Correct method to work out any multiple of 5% of 300 up to 95% | M1 | eg 50% = 300 ÷ 2 | | |
| | Fully correct build-up method to work out 65% of 300 | M1dep | eg $300 \div 2 + 3 \times 300 \div 20$ | | |
| | | | or 150 + 3 × 15 | | |
| | | | (no errors seen) | | |
| | 195 | A1 | SC2 105 | | |
| | Alternative method 4 | | | | |
| | 65 ÷ 100 or 0.65 or 65 × 300 | M1 | | | |
| | or 19 500 | IVII | | | |
| | $300 \times \frac{65}{100}$ or $300 \times$ their 0.65 | M1dep | oe | | |
| | or their 19 500 ÷ 100 | | | | |
| | 195 | A1 | SC2 105 | | |
| | Additional Guidance is on the follow | wing page | • | | |

| Question | Answer | Mark | Comments | | |
|----------|---|-------------|-------------------------|-------------|--|
| | | | | | |
| | Ado | ditional G | uidance | | |
| | In Alt 3, either a correct method or a c first M1 | correct va | ue must be seen for the | | |
| 40 | Note that 300 x 50% is not allowed as | s a correc | t method | | |
| 12 cont | If Alt 3 is to be used, the percentage t | hat is atte | empted must be stated | | |
| | eg 20% = 300 ÷ 5 | | | | |
| | Do not ignore further working for the A | M1M1A0 | | | |
| | eg 300 – 195 | | | 10111011710 | |
| | | ı | | | |
| 13 | 125 | B1 | | | |
| | 5 × 7 × 10 | M1 | | | |
| | | | | | |
| | 350 | A1 | | | |
| | Additional Guidance | | | | |
| 14 | Ignore further "method" for M1 | | | | |
| | eg $5 \times 7 \times 10 \div 2 = 175$ | M1A0 | | | |
| | however $5 \times 7 \times 10 \times 5 \times 7 \times 10$ or | | | | |
| | ignore units | | | | |
| 15 | cylinder | B1 | | | |

| Question | Answer | Mark | Comment | s |
|----------|---|-------------|--------------------------|----|
| | | | eg No, he has done B fro | |
| | Ade | ditional G | Guidance | |
| | Ignore non-contradictory, irrelevant re response | esponses | alongside a correct | |
| | Answer must either include 'No' or 'K | emal is w | rong' oe | |
| | Ignore diagram if B1 scored from ans | wer lines | | |
| | No, it is 280 | | | B1 |
| | No, should start / measure from B | | | B1 |
| | No, it's from the wrong point | rong point | | |
| 16(a) | Kemal is wrong, he started from A (a | nd went to | o B) | B1 |
| | No and a correct method/drawing shown in either box | | | B1 |
| | No, the bearing should be reflex | | | B1 |
| | No, he did A to B (not A from B) | | | B1 |
| | No, should be anticlockwise | | | B0 |
| | No, measured the wrong way around | | | В0 |
| | No, bearing would be 260 | | | В0 |
| | (It should be) 280 (not sufficient | to imply 'ı | no') | В0 |
| | No, he measured from A which is 100 but you're meant to measure from B which is 170 | | | В0 |
| | Bearing should start from B (should | l is not su | fficient to imply 'no') | В0 |
| | Not measured from B | | | В0 |
| | Started from A (and went to B) | | | В0 |
| | No, it's from the wrong place | | | В0 |

| Question | Answer | Mark | Commer | nts |
|----------|--|--|---------|-----|
| | No and correct reason | eason B1 eg No, it's North East No, NW is 315(°) | | |
| | Ado | ditional G | uidance | |
| | Reasoning may be seen on diagram. The angles do not need to be accurate if intention is clear. | | | |
| | No, you've gone anticlockwise | | | B1 |
| | No, NW lies between 270 and 360 (but 045 is between 0 and 90) | | | B1 |
| 16(b) | No, D is NE of C | | | B1 |
| | Do not accept incorrect statements | | | |
| | eg No, North West is 225° | | | В0 |
| | No, C is SW of D (true but not refere | В0 | | |
| | 045 is NE | | В0 | |
| | D is NE of C | | | В0 |
| | No, it will be larger | | | В0 |

| Question | Answer | Mark | Commer | nts |
|----------|---|------------|---|-----------------|
| | Line drawn due South from <i>E</i> (any length) or [4.3, 5.1] | M1 | mark intention on 'south' mark intention on 'line' accept a cross on coast E | |
| | their value × 100 | M1 | [430, 510] implies M2 eg 1.3 × 100 | |
| | [450, 490] and correct for their value | A1 | SC1 600 [450, 490] scores M1M1 seen | A1 unless error |
| | Ad | ditional G | Guidance | |
| 16(c) | Line drawn or no line drawn and 4.6 (within range but not correct for their | | | |
| | No line drawn and 4.2 x 100 = 420 | M0M1A0 | | |
| | 600 may score up to M2, only award | | | |
| | If line goes North as well as South of direction length (in range) for at least scored) | | | |
| | If line does not reach coast or goes be awarded for a correct method with co | | | |
| | Ignore units throughout eg 4.8×10^{-2} | M1M1A1 | | |
| 47/-) | 28:12 or 14:6 or 56 ÷ 8 and 24 ÷ 8 (may be done in stages) | M1 | | |
| 17(a) | or | | | |
| | 3 and 7 seen | | | |
| | 7:3 | A1 | | |
| 17(b) | 1.25 : 1 | B1 | oe eg $\frac{5}{4}$:1 | |

| Question | Answer | Mark | Comments | | |
|----------|-----------------------------------|------|----------|------|--|
| | 180 ÷ (1 + 9) or 18 or 162 | M1 | | | |
| | 18 and 162 | A1 | | | |
| | Additional Guidance | | | | |
| 17(c) | 162 and 18 | | | M1A0 | |
| | Build-up method will score 2 or 0 | | | | |
| | eg 1 : 9 | | | | |
| | 2:18 does not score M1 for 18 | | | | |

| Question | Answer | Mark | Commen | ts | | |
|----------|---|-----------------|--|------------------|--|--|
| | Valid statement about proportion | B1 | eg there were more 41s or under | or over than 40s | | |
| | Valid statement about average | B1 | eg the average listening t or over was higher | ime of the 41s | | |
| | Valid statement about spread | he 41s or ut | | | | |
| | Ad | ditional (| Guidance | | | |
| | Do not allow incorrect values supporting statements (eg a miscalculation) but repeating the values in context is acceptable | | | | | |
| | Condone irrelevant statements with co | orrect state | ements | | | |
| | Student statements may not be in the table | | | | | |
| | Accept 'older people' for 41s or over and 'younger people' for 40s or under similarly accept over 40s to stand for 41s and over (oe) Proportion of the audience statements | | | | | |
| 18 | | | | | | |
| | There were more over 41s | | | B1 | | |
| | They are mostly over 41 | | | B1 | | |
| | There were 58% more over 41s than 4 | 10s and ui | nder | B1 | | |
| | The proportion / % / percentage of over | er 41s is h | igher | B1 | | |
| | Over 41s are a higher proportion than | 40s and ι | under | B1 | | |
| | Less 40 and under than over 41 | | | B1 | | |
| | The 40 and unders were 21%, the over 41 were 79% | | | B1 | | |
| | The 40s and under were 21% which is less than half/quarter | | | B1 | | |
| | The 40s and under were 21% | | | В0 | | |
| | The difference is 58% | | | В0 | | |
| | Additional Guidance continues on | the next p | page | | | |

| Question | Answer | Mark | Comments |
|----------|--------|------|----------|
| | | | |

| | Average listening time statements | |
|------|---|----|
| | The over 41s had a higher mean | B1 |
| | Over 41s listened for 5.1h more (on average) | B1 |
| | Over 41s listened longer (on average) than the 40s and under | B1 |
| | 41+ longer listening (on average) | B1 |
| | (More/most) 40s and under listened less than the over 41s (on average) | B1 |
| | Average listening 5.1 hours difference | В0 |
| | Spread of listening time statements | |
| | The over 41s had a higher range | B1 |
| | More of a time gap in the over 41s than the 40s and under | B1 |
| 18 | Over 41s have a higher spread | B1 |
| cont | 40s and under times are closer together than over 41s | B1 |
| | Over 41s have a wider listening time range | B1 |
| | The 41 and over listening time gap was high, the under 40 listening time gap was low | B1 |
| | 40 and under is 4.5, 41 or over is 13.9 | B1 |
| | 40 and under listen to the radio 4.5 hours, 41 or over listen to the radio 13.9 hours | В0 |
| | The difference in range is 9.4 | В0 |
| | Listening times were quite close together | B0 |
| | The 41 and over listening times gap was high | ВО |

| Question | Answer | Mark | Comments | |
|----------|--------------------|------|----------|----|
| | uidance | | | |
| 19(a) | Condone 10 – 5 = 5 | | | B1 |
| | Condone $x = 5$ | | | B1 |
| | 10 2 | | | В0 |
| | | T T | · | |
| 19(b) | -10 | B1 | | |

| Question | Answer | Mark | Comme | nts |
|----------|--|--------------------|---|-----------------------------|
| | Unsimplified expression in a,b and c which would evaluate to 23 | M1 | eg 2(4a-2b) + a + c or $8a-4b+a+c$ or $11(a+c)-(4a-2b)$ or $11a+11c-4a+2b$ | |
| 19(c) | Simplified expression in a, b and c which would evaluate to 23 | A1 | eg 9a - 4b + c 7a + 2b + 11c SC2 Values assigned to which satisfy original eq expression given which eg $a = 3, b = 1, c = 0$ and | uations and has value 23 |
| | Additional Guidance There are infinitely many correct solutions. Allow solutions where the coefficients are not integers if initial working is shown. eg | | | |
| | $3(4a-2b) - \frac{7}{3}(a+c) = \frac{29}{3}a - 6b - \frac{7}{3}c$ $5a - 2b + c + 10 = 23$ | | | M1A1 |
| | Condone '= 23' after the expression Answer using only two variables eg | 2.3(4 <i>a</i> – 2 | 2 <i>b</i>) | M0A0 |
| | 9.7×10^{-4} | B1 | | l |
| | Ade | ditional G | Guidance | |
| 20(a) | Condone 9.7 . 10 ⁻⁴ or 9.7 · 10 ⁻⁴ | | | B1 |
| | Ignore zeroes before the '9' eg 00009.7×10^{-4} | | | B1 |
| | 9.7 × 10 ^{4–} | | | В0 |

| Question | Answer | Mark | Commer | nts |
|----------|---|------------|----------|--------------|
| | 300 000 and 4000 or $(10^5 \div 10^3 =) 10^2$ or $(10^5 \div 10^3 =) 100$ or $7.5 \times 10^{(1)} \text{ or } 75 \times 10^0$ or $\frac{3 \times 10^2}{4} \text{ or } \frac{300}{4}$ | M1 | | |
| | 75 | A1 | | |
| | Ade | ditional G | Buidance | |
| 20(b) | If the answer is given in standard form and as 75 the student must indicate that 75 is their chosen answer or it must be the final answer given eg1 $7.5 \times 10^{(1)} = 75$ on the answer line eg2 $75 = 7.5 \times 10^{(1)}$ on the answer line | | | M1A1 M1A0 |
| | $\frac{300}{4}$ or 75 from incorrect working so | | | |
| | eg1 $3 \times 10^5 = 30000$ and $4 \times 10^3 = 400$ and $30000 \div 400 = \frac{300}{4} = 75$ | | | M0A0 |
| | $eg2 \frac{30000}{400} = 75$ | | | M0A0 |
| | For the method mark, ignore incorrect work from a correct expression eg $0.75 \times 10^2 = 7.5 \times 10^3$ | | M1A0 | |
| | If the student attempts two methods (attempting to convert to ordinary num award the higher mark | | | |

| Question | Answer | Mark | Comments | |
|----------|---|--------------------------|--|--|
| 21(a) | $\frac{1}{6}$ on '1' and $\frac{1}{3}$ or $\frac{2}{6}$ on '2 or 3' and $\frac{1}{2}$ on each of 'Odd' and 'Even' | B2 | oe fraction, decimal or percentage B1 $\frac{1}{6} \text{ on '1' and } \frac{1}{3} \text{ or } \frac{2}{6} \text{ on '2 or 3'}$ or $\frac{1}{2} \text{ on each of 'Odd' and 'Even'}$ or all correct unsimplified probabilities with one or more simplification errors $\text{eg } \frac{3}{6} \text{ on 'Odd' simplified to } \frac{1}{3}$ | |
| | Additional Guidance | | | |
| | Accept decimals or percentages rour least 2 significant figures | incated correctly to at | | |
| | Only withhold a mark for simplification errors if B2 would otherwise be awarded | | | |
| | Ignore extra branches added | | | |
| | Ignore attempts to work out combined tree diagram | ties to the right of the | | |
| | If an answer line is blank, the student may have written their answer elsewhere on the branch | | | |

| Question | Answer | Mark | Comments | | |
|----------|--|----------|---|--|--|
| | Alternative method 1: P(1) + P(4, 5 or 6) × P(Odd) | | | | |
| | $\frac{1}{2}$ × their $\frac{1}{2}$ or $\frac{1}{4}$ | M1 | ое | | |
| | their $\frac{1}{4}$ + their $\frac{1}{6}$ | M1dep | oe | | |
| | $(P(win) =) \frac{10}{24} \text{ or } \frac{5}{12}$ | A1ft | oe ft their tree diagram | | |
| | Lose (and P(Lose) = $\frac{14}{24}$ or $\frac{7}{12}$ oe) | A1ft | ft correct decision for their $\frac{5}{12}$ (and their $\frac{7}{12}$) with M2 scored | | |
| 21(b) | Alternative method 2: 1 - P(2 or 3) | – P(4, 5 | or 6) × P(Even) | | |
| , , | $\frac{1}{2}$ × their $\frac{1}{2}$ or $\frac{1}{4}$ | M1 | oe | | |
| | their $\frac{1}{4}$ + their $\frac{1}{3}$ or P(lose) = $\frac{7}{12}$ | M1dep | oe ft their tree diagram | | |
| | $(P(win) =) \frac{10}{24} \text{ or } \frac{5}{12}$ | A1ft | oe ft their tree diagram | | |
| | Lose (and P(Lose) = $\frac{14}{24}$ or $\frac{7}{12}$ oe) | A1ft | ft correct decision for their $\frac{5}{12}$ (and their $\frac{7}{12}$) with M2 scored | | |
| | Additional Guidance is on the following page | | | | |
| | | | | | |

| Question Answer | Mark Comments | |
|-----------------|---------------|--|
|-----------------|---------------|--|

| | Additional Guidance | |
|-------|---|--|
| | Check the tree diagram for working | |
| | Any 'their' or ft probability must be > 0 and < 1 for marks to be awarded | |
| | For the second A1ft, the ft can be from an incorrect tree (which may score 4 marks) or an arithmetic error (which scores 3 marks, M1M1A0A1ft) | |
| | Accept equivalent fractions or decimals within calculations and equivalent fractions, decimals or percentages for final probabilities | |
| | Accept decimals or percentages rounded or truncated correctly to at least 2 significant figures | |
| 21(b) | Condone $\frac{1}{2} \times \text{their } \frac{1}{2}$ as part of a longer, incorrect multiplication | |
| cont | eg $\frac{1}{2} \times \frac{1}{2} \times \frac{1}{6}$ | M1M0A0A0 |
| | Condone decimals used within fractions | |
| | eg P(Win) = $\frac{2.5}{6}$ | at least M1M1A1 |
| | For the method marks, condone incorrect mathematical notation eg $\frac{1}{2} \times \frac{1}{2} = \frac{1}{4} + \frac{1}{6} = \dots$ | at least M1M1 (may go on to score 3 or 4 marks) |
| | For the second A1ft, if the student gives a value for P(Lose), their P(Win) + their P(Lose) must equal 1 | |
| | However, allow a comparison to $\frac{1}{2}$ unless it is clearly an incorrect value for P(Lose) | |

| Question | Answer | Mark | Comments | | |
|----------|---|------|-------------|--|--|
| | Alternative method 1 | | | | |
| | $3 \div \frac{20}{100}$ or 3×5 or 15 or 3×6 | M1 | oe | | |
| | 18 | A1 | | | |
| 22 | Alternative method 2 | | | | |
| | 1.2x = x + 3 | M1 | oe equation | | |
| | 18 | A1 | | | |
| | Additional Guidance | | | | |
| | Trial and improvement scores 0 or 2 unless M1 can be awarded for 15 | | | | |
| | 15 seen scores M1 | | | | |

| Question | Answer | Mark | Commer | its |
|----------|--|----------|-------------------------------------|--------|
| 23 | $(3^{12} =) 531441$ or $(3^{5} =) 243$ or $(3^{12} \div 3^{5} =) 3^{7} \text{ or } (3^{12} \div 3^{5} =) 2187$ or $(3^{2} \times 3 =) 3^{3} \text{ or } (3^{2} \times 3 =) 27$ or $3^{12} \div 3^{5} \div 3^{2} \div 3$ or $\frac{3^{12}}{3^{5}} \times \frac{1}{3^{2} \times 3}$ $3^{7} \div 3^{3} \text{ or } 3^{7} \div 27$ or $3^{(12-5-2-1)}$ or $\frac{3^{12}}{3^{8}}$ | M1 M1dep | oe in the form $3^n \div 3^{(n-1)}$ | |
| | or 3 ⁴ or 2187 ÷ 27 | | | |
| | 81 | A1 | | |
| | Additional Guidance | | | |
| | 3 ⁴ and 81 on the answer line in either order | | | M1M1A1 |
| | 81 in working and 3 ⁴ on the answer line | | | M1M1A0 |

| Question | Answer | Mark | Comments |
|----------|---------------|------|----------|
| 24(a) | - а | B1 | |
| 24(b) | $\frac{1}{c}$ | B1 | |

| Question | Answer | Mark | Comments | | | |
|----------|---|--|---|--|--|--|
| | Alternative method 1: areas | | | | | |
| | $\pi \times 10^2$ or 100π | M1 | implied by [314, 314.2] | | | |
| | $\pi \times (8 \div 2)^2$ or $\pi \times 4^2$ or 16π or $\pi \times (8 \div 2)^2 \div 2$ or $\pi \times 4^2 \div 2$ or $16\pi \div 2$ or 8π | M1 | implied by [50.2, 50.3] or [25.12, 25.14] 92π or 84π or $92:8$ or $8:92$ or $84:16$ or $16:84$ implies M1M1 | | | |
| | (their $100(\pi)$ – their $8(\pi)$) ÷ their $8(\pi)$ or $92(\pi)$ ÷ $8(\pi)$ or their $100(\pi)$ ÷ their $8(\pi)$ (– 1) or $12\frac{1}{2}$ (– 1) or 12.5 (– 1) | dep on M2 absence of π must be consistent condone $16(\pi)$ as their $8(\pi)$ in first calculation only, ie condone (their $100(\pi)$ – their $16(\pi)$) \div their or $84(\pi) \div 16(\pi)$, but not—their $100(\pi)$ \div their $16(\pi)$ | | | | |
| | $11\frac{1}{2}$ or 11.5 | A1 | condone $\frac{23}{2}$ | | | |
| 25 | Alternative method 2: scale factor | | | | | |
| | $\frac{10}{8 \div 2}$ or $\frac{10}{4}$ or $\frac{5}{2}$ or $\frac{10 \times 2}{8}$ or $\frac{20}{8}$ or 2.5 | M1 | oe scale factor of lengths eg $\frac{2}{5}$ or 0.4 accept 2:5 or 5:2 oe ratio π may be present, but must be consistent in numerator and denominator | | | |
| | $(\text{their } \frac{5}{2})^2 \text{ or } \frac{25}{4}$ | M1dep | oe scale factor of areas eg $\frac{4}{25}$ accept 4 : 25 or 25 : 4 oe ratio | | | |
| | $2 \times \text{their } \frac{25}{4} \ (-1) \ \text{or } \frac{25}{2} \ (-1)$ or $12\frac{1}{2} \ (-1)$ or $12.5 \ (-1)$ | M1dep | oe eg $2 \div \text{their } \frac{4}{25} (-1)$ | | | |
| | $11\frac{1}{2}$ or 11.5 | A1 | condone $\frac{23}{2}$ | | | |
| | Additional Guidance is on the follo | wing pag | le | | | |

| Question | Answer | Mark | Comments |
|----------|--------|------|----------|
| | | | |

| | Additional Guidance | | | | |
|--------|--|----------|--|--|--|
| | Accept, for example, $\pi 8$ or $\pi \times 8$ or $8 \times \pi$ for 8π | | | | |
| | An answer of 11.5 π with no incorrect working | M1M1M1A0 | | | |
| | Consistent use of πd^2 for the area of a circle gives the area of the circle as 400π , the area of the semicircle as 32π and the area of the shaded part as 368π . This also gives the answer 11.5, but scores zero | МОМОМОАО | | | |
| | Irrespective of where their answer comes from and the presence of other measures such as circumference, students can gain the first two marks of alternative method 1 if it is clear that the methods or values given are for area | | | | |
| 25 | eg 1 | | | | |
| (cont) | Big area = 100π , little area = 8π , big circumference = 20π , little circumference = 4π , $20 \div 4 = 5$ | M1M1M0A0 | | | |
| | eg 2 | | | | |
| | $100\pi, 8\pi, 20\pi, 4\pi$ | МОМО | | | |
| | Do not award the second mark if the value of 8π comes from πd | M?M0 | | | |
| | This is implied by, eg, 'Area of circle = 20π , area of semi-circle = 8π ' | MOMO | | | |
| | $\frac{100(\pi) - 16(\pi)}{16(\pi)}$ (which may give an answer of 5.25) | M1M1M1A0 | | | |
| | $\frac{100(\pi)}{16(\pi)}$ (which may give an answer of 6.25) | M1M1M0A0 | | | |

| Question | Answer | Mark | Comments | i | |
|----------|--|------------|--------------------------------|---|--|
| | Plots the points (1, 60), (2, 30), (3, 20) and (4, 15) | M1 | $\pm \frac{1}{2}$ small square | | |
| | Correct smooth curve through correct four points | A1 | $\pm \frac{1}{2}$ small square | | |
| | Ado | ditional G | uidance | | |
| | Ignore any calculations and mark the | graph on | у | | |
| 26(a) | Points cannot be implied by a bar chart or vertical line graph, but condone crosses at the top of a vertical line graph for M1 and the correct curve superimposed for M1A1 | | | | |
| | For M1, ignore the curve outside the domain $1 \le t \le 4$ | | | | |
| | For A1, whether or not the curve extends outside the domain $1 \le t \le 4$ it must not have a positive gradient at any point | | | | |
| | If there is no curve, for M1 there must be no other points with <i>x</i> -coordinate 1, 2, 3 or 4 | | | | |
| | The curve should be a single line with no feathering | | | | |
| | Unless it affects the shape of the curve (in which case A1 cannot be awarded), ignore incorrect evaluations of 60 ÷ a non-integer value | | | | |
| | eg 60 ÷ 1.5 = | | | | |

| Question | Answer | Mark | Comments | | |
|----------|---|------|---|------|--|
| | | | | | |
| | Vertical line from $3\frac{1}{2}$ minutes to | | $\pm \frac{1}{2}$ small square | | |
| | their graph | M1 | implied by mark at correct place on the graph or on the vertical axis (but not on the horizontal axis) or by correct reading from their graph | | |
| | Correct reading from their graph for $t = 3.5$ | A1ft | ft their graph $\pm \frac{1}{2}$ small square | | |
| 26(b) | Additional Guidance | | | | |
| | Correct reading for their graph, with or without evidence of using graph | | | M1A1 | |
| | No graph in (a) | | | M0A0 | |
| | To score any marks, their graph must be decreasing in the domain $1 \le t \le 4$, but may be a straight line or series of connected straight lines | | | | |
| | Answer from 60 ÷ 3.5 with no graph, or which does not match graph | | | M0A0 | |
| | Reading from 3.3 | | | M0A0 | |

| Question | Answer | Mark | Comments | | |
|----------|---|------|---|--|--|
| | Alternative method 1 – add 6 to both sides first | | | | |
| 27 | x + 6 = 2y | | oe | | |
| | or $-x - 6 = -2y$ | | | | |
| | or | M1 | | | |
| | $\frac{x+6}{2}$ or $\frac{x}{2} + 3$ or $\frac{1}{2}(x+6)$ | | | | |
| | $y = \frac{x+6}{2}$ or $y = \frac{x}{2} + 3$ | A1 | allow order reversed | | |
| | | | do not allow further incorrect work eg attempts to divide only the 6 by 2 | | |
| | or $y = \frac{1}{2}(x+6)$ | | Condone $y = (x+6) \div 2$ for M1A1 | | |
| | Alternative method 2 – divide both sides by 2 first | | | | |
| | $\frac{x}{2} = y - \frac{6}{2} \text{ or } \frac{x}{2} = y - 3$ | | allow $\frac{2y}{2}$ for y | | |
| | or | M1 | | | |
| | $\frac{x+6}{2}$ or $\frac{x}{2} + 3$ or $\frac{1}{2}(x+6)$ | | | | |
| | $y = \frac{x+6}{2}$ or $y = \frac{x}{2} + 3$ | | allow order reversed | | |
| | | A1 | do not allow further incorrect work eg attempts to divide only the 6 by 2 | | |
| | or $y = \frac{1}{2}(x+6)$ | | Condone $y = (x+6) \div 2$ for M1A1 | | |
| | Alternative method 3 – flow diagram | | | | |
| | $y \to 2y \to 2y - 6$ | M1 | allow $2 \times y$ or $y \times 2$ for $2y$ | | |
| | ← x+6 ← x | IVII | ignore any operations seen on arrows | | |
| | $y = \frac{x+6}{2}$ or $y = \frac{x}{2} + 3$ or $y = \frac{1}{2}(x+6)$ | A1 | allow order reversed | | |
| | | | do not allow further incorrect work eg attempts to divide only the 6 by 2 | | |
| | | | Condone $y = (x+6) \div 2$ for M1A1 | | |
| | Additional Guidance | | | | |
| | Allow 0.5 for $\frac{1}{2}$ throughout | | | | |

| Question | Answer | Mark | Comments | | |
|----------|--|------|--|-------------|--|
| 28 | $x^2 + 5x - x - 5$ | M1 | three or four terms with three correct $x^2 + 4x + k$ implies M1 | | |
| | $x^2 + 4x - 5$ | A1 | | | |
| | Ade | | | | |
| | Further work, eg $x^2 + 4x - 5 = 5x - 5$ | | | M1A0 | |
| | $y = x^2 + 4x - 5$ or $x^2 + 4x - 5 = 0$ | | | M1A0 | |
| | $x^2 + 4x - 4$ | | | M1A0 | |
| | $x^2 + 4x$ | | | M1A0 | |
| | Condone 1x for x eg $x^2 + 5x - 1x - 5$ | | | at least M1 | |
| | Terms may be seen in the grid method or in a list where a plus sign can be implied | | | | |