

GCSE (9–1) Chemistry A (Gateway Science)

Н

J248/03 Paper 3 (Higher Tier)

Sample Question Paper

Date – Morning/Afternoon

Version 2.1

Time allowed: 1 hour 45 minutes

You must have:

· the Data Sheet

You may use:

- · a scientific or graphical calculator
- a rule



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided.
- Additional paper may be used if required but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document consists of 28 pages



SECTION A

Answer all the questions.

You should spend a maximum of 30 minutes on this section.


- **1** A student separates the colours in a sample of black ink using paper chromatography.
 - He puts a spot of black ink onto a piece of filter paper.
 - He dips the filter paper into ethanol in a beaker.

What phase describes ethanol in this experiment?

- A Gas phase
- **B** Mobile phase
- C Solid phase
- **D** Stationary phase

Your answer ____

2 Look at the chromatogram.



What is the $R_{\rm f}$ value of the **green** spot? Use a ruler to help you.

- **A** 0.17
- **B** 0.42
- **C** 0.83
- **D** 1.00

Your answer

[1]

3 What is the best description of the particles in a liquid?

	Distance between particles	Movement of particles
Α	close together	in continuous random motion
В	close together	vibrating about a fixed point
С	far apart	in continuous random motion
D	far apart	vibrating about a fixed point

	Your answer	[1]
4	The molecular formula of decene is C ₁₀ H _{20.}	
	What is the empirical formula of decene?	
	A CH ₂	
	$\mathbf{B} \mathbf{C}_2 \mathbf{H}_4$	
	C C ₅ H ₁₀	
	$D C_{20}H_{40}$	
	Your answer	[1]

5 A student measures the pH of an acid and an alkali.

He adds magnesium metal to the acid and to the alkali.

What results should he expect?

	Ad	cid	Alkali	
	рН	Reaction with magnesium	рН	Reaction with magnesium
Α	below 7	no reaction	above 7	magnesium fizzes
В	below 7	magnesium fizzes	above 7	no reaction
С	above 7	magnesium fizzes	above 7	no reaction
D	above 7	no reaction	below 7	magnesium fizzes

Your answer		[1]

6 A student tests the conductivity of an ionic compound.

Which row in the table shows the correct results?

	Solid ionic compound	lonic compound dissolved in water	Molten ionic compound
Α	conducts	conducts	does not conduct
В	conducts	conducts	conducts
С	does not conduct	does not conduct	conducts
D	does not conduct	conducts	conducts

Your answer		[1]

7	What is the approximate size of an atom?
	A 0 40=1 t

- A 3×10^{-1} metres
- **B** 3×10^{-5} metres
- **C** 3×10^{-9} metres
- **D** 3×10^{-13} metres

Your answer		[1]

- 8 During the electrolysis of molten potassium chloride, what is made at the cathode?
 - **A** Chlorine
 - **B** Hydrogen
 - **C** Potassium
 - **D** Potassium hydroxide

Your answer		[1]

9 Crude oil can be separated in the laboratory into fractions which have different boiling points.

Look at the table. It shows possible relationships between:

- · boiling point
- number of carbon atoms in the molecule
- size of intermolecular forces.

Which letter shows the correct relationship?

	Boiling point	Number of carbon atoms in the molecule	Size of intermolecular forces
Α	high	less than 20	large
В	high	more than 50	small
С	low	less than 20	small
D	low	more than 50	large

·	·
Your answer	[1]

10	Which of these shows the balanced symbol equation for the reaction between
	potassium and chlorine to make potassium chloride?

A
$$K + Cl_2 \rightarrow KCl_2$$

B
$$P + Cl_2 \rightarrow PCl_2$$


C
$$2K + Cl_2 \rightarrow 2KCl$$

D
$$2P + Cl_2 \rightarrow 2PCl$$

Your answer	[1]

11 Look at the diagrams.

Which diagram shows a solid with the largest surface area to volume ratio?





12	Astudent neutralises	s nitric acid with	notassium h	vdroxide solution
14	Astudent neutranses	s milio acia wilii	potassiumm	yuruniue sululiuri.

Which equation shows the **ionic** equation for neutralisation?

A
$$HNO_3$$
 + $KOH \rightarrow KNO_3$ + H_2O

$$B \quad H^+ + OH^- \rightarrow H_2O$$

$$C NO_3^- + K^+ \rightarrow KNO_3$$

D
$$H^+ + NO_3^- \rightarrow HNO_3$$

Your answer ____

[1]

A student investigates some acids.

She has a solution of hydrochloric acid of concentration 0.01 mol/dm³.

This solution has a pH of 2.

She increases the concentration of hydrochloric acid from 0.01 mol/dm³ to 0.1 mol/dm³.

What is the pH of this new solution?

- **A** 0
- **B** 1
- **C** 3
- **D** 12


Your answer [1]

What is the **best** explanation of what is meant by a strong acid?

- **A** There is a large amount of acid and a small amount of water.
- **B** There is a small amount of acid and a large amount of water.
- **C** The acid is completely ionised in solution in water.
- **D** The acid is partially ionised in solution in water.

Your answer [1]

15 Look at the diagram.



It shows how the reaction between hydrochloric acid and marble chips (calcium carbonate) can be monitored.

The reading on the balance **decreases** during the reaction.

Which statement is the **best** explanation?

- A Acid escapes from the flask.
- **B** Carbon dioxide gas is made which leaves the flask.
- C Hydrogen gas is made which leaves the flask.
- **D** The temperature in the laboratory changes.

Your answer	[1]

9 **BLANK PAGE**

TURN OVER FOR THE NEXT QUESTION

Answer **all** the questions.

16 The table shows information about some atoms and ions.

Particle	Atomic number	Mass number	Number of protons	Number of neutrons	Number of electrons	Electronic structure
А	11	23	11		11	2.8.1
В	9	19	9	10	9	
С		37	17		17	2.8.7
D	13	27			10	2.8


(a)	Complete the missing information in the Table above.	[4]
(b)	Particle A is a metal atom , particle D is an ion .	
	Explain why.	
		[2]
(c)	Particle C has the electronic structure 2.8.7.	
	What does this electronic structure tell you about the position of particle C in the periodic table?	
	Explain your answer.	
		[4]

(d) Complete the table below to give information about protons, neutrons and electrons.

	Charge	Mass in atomic mass units
proton		1
neutron		
electron	negative	

		_		
(e)	Rutherford wa	as a scientist who	helped to develop the atomic model.	[2]
	State how Ru model.	therford's work co	ntributed to the development of the atomic	
				[1]

(a) The diagrams show the structures of two forms of carbon. 17



graphite

- Graphite is a good conductor of electricity.
- Diamond does not conduct electricity.

Use ideas about structure and bonding in diamond and graphite to explain these observations.[3]

(b) Carbon can form many thousands of different compounds.

Two examples are shown below.

cyclohexane

Why can carbon form many thousands of different compounds?

.....[1]


((c)	Ethanol	contains	carbon
۱			COLITAINS	Cai DOII.

Look at some information about ethanol.

- Melting point = −114°C Boiling point = 78°C

Predict the state of ethanol at 25°C. How can you tell?
[2]


18 Look at the energy profile for a reaction.



(a) Explain what can be concluded about this reaction?

	F 4 1
morade the quantities A and B in your answer.	
Include the quantities A and B in your answer.	

(b) Look at the equation.



The table shows the bond energies of the bonds involved.

Bond	Bond energy (kJ/mol)
C–H	435
O=O	498
C=O	805
O–H	464

(i)	What type of energy change happens when bonds are broken and when bonds are made?	
	Bonds broken	
	Bonds made	.[2]
(ii)	Calculate the energy change for this reaction	

Answer = kJ/mol [3]

- (c) When propane reacts with oxygen, energy is given out.
 - Propane gives out 50 kJ/g.
 - A propane burner is used to boil 200 g of water to make a cup oftea.
 - The initial temperature of the water is 15 °C.

What mass of propane (in g) is needed to heat this water?

Use the following equation:

Energy transferred in $J = 4.2 \text{ J/g}^{\circ}\text{C} \times \text{mass}$ of water in g × temperature change in $^{\circ}\text{C}$.

Answer = g [5]

19	An element,	Χ.	is reacted	with c	xvaen.	O ₂ .
. •	, 0.0	,			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>

- There is one product. It is the oxide of **X**, **X** oxide.
- 4.86 g of **X** reacts with 3.20 g of oxygen to make 8.06 g of **X** oxide.
- (a) (i) Calculate the number of moles of **X**, oxygen and **X** oxide in the reaction.
 - Relative atomic mass of **X** = 24.3

Give your answer to 3 significant figures.

Relative formula masses: O₂ = 32.0; X oxide = 40.3.

	Number of moles of X =	
	Number of moles of O ₂ =	
	Number of moles of X oxide =	[3]
	(ii) Use your answer to (i) to write the balanced symbol equation for the reaction between X and oxygen to make X oxide.	
		[2]
(b)	The equation shows the reaction between sodium hydroxide and dilute sulfuric acid.	
	$2NaOH + H_2SO_4 \rightarrow Na_2SO_4 + 2H_2O$	
	sodium + sulfuric → sodium + water hydroxide acid sulfate	
	Calculate the mass of sodium hydroxide needed to make 30.0 g of sodium sulfate.	

Answer = g [3]

20 A student is separating a mixture of three substances, A, B and C.

Look at the table. It gives information about these substances.

Substance	State at room temperature	Melting point (°C)	Boiling point (°C)	Solubility in water
Α	liquid	0	100	soluble
В	liquid	-117	78	soluble
С	solid	1535	2750	insoluble

A and **B** mix together completely.

	[6]
	Explain in detail how each method works.
) ^	substances A , B and C .
*	

		[2]
	Suggest how the student can check that the sample of substance B is pure.	
(b)	The student has separated a pure sample of substance B from the mixture.	

21	Zind	c nitrate can be made by reacting zinc oxide with nitric acid, HNO ₃ .	
	(a)	Write a balanced symbol equation for this reaction.	
		[2]
	(b)	A student suggests this method for preparing zinc nitrate.	
		 Measure 50 cm³ of dilute nitric acid into a beaker. Add one spatula measure of zinc oxide. Heat the mixture until crystals of zinc nitrate are made. 	
		Her method will not make a pure dry sample of zinc nitrate.	
		What improvements should she make to the method to make sure that:	
		 the reaction is complete the zinc nitrate can be separated from the nitric acid and the zinc oxide? 	
		Explain your answer.	
			4]
	(c)	Describe why this reaction is a neutralisation reaction.	


.....[2]

22

Magnesium burns in oxygen to make magnesium oxide.
The reaction involves both oxidation and reduction.
$2Mg(s) + O_2(g) \rightarrow 2MgO(s)$
magnesium + oxygen → magnesium oxide
(a) Complete the sentences.
During this reaction, the oxidising agent is
The reducing agent is[1]
(b) Magnesium has an atomic number of 12.
Calculate the mean mass of an atom of magnesium.
Quote your answer to 3 significant figures.
 Avogadro constant = 6.022 × 10²³ atoms permole

23 A student electrolyses copper sulfate using copper electrodes.

Look at the diagram. It shows the apparatus she uses.



She investigates the change in mass at each electrode before and after the electrolysis.

Look at her method.

- 1. Using a balance, measure the mass of the copper cathode and copper anode.
- 2. Set up the apparatus and run the electrolysis for 30 seconds.
- 3. Remove the copper cathode and the copper anode and immediately place them on the balance and measure their masses again.
- (a) What improvements could you make to the student's experiment? Explain your answers.

[4]	

(b) The student finds	that:
-----------------------	-------


- the cathode gains mass the anode loses mass.

	[2]
Explain these observations in terms of the reactions at each electrode.	

Look at the diagrams of sodium chloride and water.

sodium chloride

Explain why.



(a)	Sodium chloride has a melting point of 801°C.
	Use the diagram of sodium chloride to explain why.

(b) Water has a low melting point and boiling point.

[2 ¹

.....[2]

water

(c) Magnesium oxide has a similar structure to sodium chloride.

Draw 'dot and cross' diagrams to show the ionic bonding in magnesium oxide.

- Include the charges on the ions.
- The electronic structure of magnesium is 2.8.2. The electronic structure of oxygen is 2.6.

25	A student adds calcium to dilute hydrochloric acid. The mixture begins to fizz.
	Write a balanced symbol equation for this reaction.
	[2]

END OF QUESTION PAPER

27 BLANK PAGE

DO NOT WRITE ON THIS PAGE



Copyright Information

Image by USGS (US Government) [Public domain], via Wikimedia Commons

Picture by User:WalkermaCalcium carbonate, August 2005 . Licensed under Public Domain via Wikimedia Commons.

© foto76. Image supplied by iStock, www.istockphoto.com

© Alesikka. Image supplied by iStock, www.istockphoto.com

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible apportunity.

 $For queries \ or \ further \ information \ please \ contact \ the \ Copyright \ Team, \ First \ Floor, 9 \ Hills \ Road, \ Cambridge \ CB2 \ 1GE.$

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.