

H

Monday 19 June 2017 – Morning

GCSE GATEWAY SCIENCE CHEMISTRY B

B742/02 Chemistry modules C4, C5, C6 (Higher Tier)

Candidates answer on the Question Paper. A calculator may be used for this paper.

OCR supplied materials:

None

Other materials required:

- Pencil
- Ruler (cm/mm)

Duration: 1 hour 30 minutes



Candidate forename					Candidate surname				
Centre numb					Candidate nu	ımber			

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Answer all the questions.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the barcodes.

INFORMATION FOR CANDIDATES

- The quality of written communication is assessed in questions marked with a pencil ().
- The Periodic Table can be found on the back page.
- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 85.
- This document consists of 28 pages. Any blank pages are indicated.



Answer **all** the questions.

SECTION A – Module C4

1 Look at the formulas.

		CO ₂	Na	Mg ²⁺	Zn	F-	
(a)	Which formula	represents	a metal ion?	•			
							[1]
(b)	Use the formula	as to write d	own the for	mula of magne	sium fluo	ride.	
							[1]
(c)	The electronic	structure of	lithium is 2.	1.			
	Lithium is a rea	active metal.					
	Explain how ar	nd why a lith	nium atom fo	orms a lithium	ion.		
							 . [2]
(d)	Sodium reacts	with oxygen	to make so	odium oxide, N	a ₂ O.		
	Draw a 'dot and	d cross' diag	ram to show	w the ionic bon	ding in so	dium oxide	
	Show all of the	electrons in	each ion.				
	The electronic	structure of	sodium is 2.	.8.1.			
	The electronic	structure of	oxygen is 2.	.6.			
	Show the charg	ges on each	ion.				

- 2 This question is about atoms.
 - (a) Atoms are made up of protons, neutrons and electrons.

Complete the table.

Particle	Relative mass	Relative charge
electron	0.0005	-1
proton		
neutron		

b)	Atoms are neutral.
	Explain why.
	[1]
c)	Which of these describes the approximate radius and mass of an atom?
	Choose from A, B, C or D.


[2]

	Radius in metres	Mass in grams
A	10 ⁻²	10 ⁻²⁰
В	10 ⁻⁵	10 ⁻¹⁵
С	10 ⁻¹⁰	10 ⁻²³
D	10 ⁻²⁰	10 ⁻³⁵

	answer	[1]
(d)	An atom of an element has an electronic structure of 2.8.6.	
	To which group of the periodic table does the element belong?	
		[1]

 ${\bf 3} \quad \text{ lan heats some zinc carbonate, } {\bf ZnCO_3}.$

Look at the diagram. It shows the apparatus he uses.



	What happens to the zinc carbonate when it is heated?
	[3]
4	Ammonia has the formula, NH ₃ .
	Ammonia has a simple molecular structure.
	Predict two physical properties of ammonia.
	Explain your answers.
	[4]

5 Phil is investigating the reactions of the halogens with solutions of metal halides.
Look at the table. It shows his results.

Halogen	Reaction with					
Halogeli	sodium chloride	sodium bromide	sodium iodide			
chlorine, Cl ₂	no reaction	orange solution made	brown solution made			
halogen, X ₂	no reaction	no reaction	no reaction			
halogen, Y ₂	no reaction	no reaction	brown solution made			
halogen, Z ₂	pale green solution made	orange solution made	brown solution made			


What is the order of reactivity (most reactive first) of the four halogens in the table? Explain your answer.

Include a balanced symbol equation for the reaction between chlorine and sodium bromide.
The quality of written communication will be assessed in your answer to this question.

SECTION B – Module C5

6 Sara is neutralising dilute hydrochloric acid with potassium hydroxide solution.


Look at the diagram of the apparatus she uses.



(a) Sara slowly adds 50 cm³ of potassium hydroxide solution to 30 cm³ of dilute hydrochloric acid.

She measures the pH of the solution in the flask as the potassium hydroxide solution is added.

Look at the graph of her results.



(i) What volume of potassium hydroxide solution must be added to get a pH of 12?

(ii) What volume of potassium hydroxide solution is needed to exactly neutralise the hydrochloric acid?

	(a)	(1)	The concentration of the hydrochloric acid is 0.30 mol/dm ³ .	
			Show that 30 cm ³ of this solution contains 0.009 moles of hydrochloric acid.	
		(ii)	Look at the equation for the reaction.	
			$HCl + KOH \rightarrow KCl + H_2O$	
			Use your answers to parts (a)(ii) and (b)(i) to calculate the concentration of the hydroxide solution.	potassium
			concentration of potassium hydroxide solution = mol/dm	³ [2]
7	Ма	gnesi	ium is an element in the periodic table.	
	Mag	gnesi	ium has a relative atomic mass of 24.	
	(a)	Wha	at is meant by the relative atomic mass of an element?	
				[1]
	(b)	A sa	ample of 42g of magnesium carbonate contains 12g of magnesium.	
		Cald	culate the percentage by mass of magnesium in magnesium carbonate.	
		Quo	ote your answer to one decimal place.	
		perd	centage by mass = %	[2]

8 Look at the equation for the reaction between sulfur dioxide and oxygen.
Sulfur trioxide is made.

$$2\mathsf{SO}_2(\mathsf{g}) \quad + \quad \mathsf{O}_2(\mathsf{g}) \quad \Longrightarrow \quad 2\mathsf{SO}_3(\mathsf{g})$$

The reaction is reversible.

(a)	When sulfur dioxide is mixed with oxygen, eventually an equilibrium mixture is made.
	Explain why, and under what conditions, the mixture reaches an equilibrium.
	[3]
(b)	More oxygen is added to the reaction mixture at equilibrium.
	What happens to the position of the equilibrium?
	[1]
(c)	This reaction is used in the Contact Process to make sulfuric acid.
	One of the conditions used is a low pressure of about five atmospheres.
	Describe two other conditions used in the Contact Process.
	[2]

9 Pete and Sue investigate the reaction between zinc and hydrochloric acid.

zinc + hydrochloric acid \rightarrow zinc chloride + hydrogen

They do the experiment four times.

Each time they use 1.0 g of zinc.

They use the same volume of different concentrations of hydrochloric acid.

They measure the total volume of hydrogen made every minute.

Look at the table of their results.

	Total volume of hydrogen in cm ³ made after					
Experiment	1 min	2 min	3 min	4 min	5 min	6 min
Α	10	20	27	29	30	30
В	15	25	32	39	40	40
С	5	10	12	15	15	15
D	18	27	35	40	44	48

(a) Pete concludes

In experiment **B**, the concentration of the hydrochloric acid was greater than in experiment **A**.



Sue concludes

The concentration of hydrochloric acid in experiment **C** is half that in experiment **A**.



[2
the experiment.
[1
m ³ .
nd pressure.
ressure.

10 Lead iodide is an insoluble salt.

,	lenna wants to make a pure, dry sample of lead iodide, ${\rm PbI}_2$.
,	lenna uses solutions of lead nitrate and sodium iodide in a precipitation reaction.
I	Lead nitrate contains lead ions, Pb ²⁺ .
,	Sodium iodide contains iodide ions, I^- .
I	Describe the stages that Jenna uses to prepare a pure, dry sample of lead iodide.
I	nclude an ionic equation for the reaction.
`	ou may wish to draw a labelled diagram.
	The quality of written communication will be assessed in your answer to this question.
,	The quality of written communication will be assessed in your answer to this question.
,	The quality of written communication will be assessed in your answer to this question.
,	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.
	The quality of written communication will be assessed in your answer to this question.

13 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

SECTION C - Module C6

11 Sophie investigates the hardness of water.

She finds out how many drops of soap solution are needed to produce a lather.


She does this with four samples of water.

Look at her results.

Water comple	Number of drops of soap solution needed to produce a lather			
Water sample	before boiling water sample	after boiling water sample		
Α	30	1		
В	25	25		
С	1	1		
Distilled water	1	1		

(a)	One sample of water contains temporary hardness.	
	Which one? Explain your answer using information from the table.	
		[2]
(b)	Permanent hardness in water is caused when some compounds dissolve in the water.	
	Which dissolved compound causes permanent hardness in water?	
	Choose from the list.	
	calcium carbonate	
	calcium hydrogencarbonate	
	calcium sulfate	
	carbon dioxide	
	sodium chloride	
	answer	[1]

(c) In hard water areas limescale can clog up pipes.



Limescale is calcium carbonate.

Calcium carbonate can be removed by reacting it with hydrochloric acid.

Calcium chloride, carbon dioxide and water are made.

Write the **balanced symbol** equation for the reaction.

.....[2]

12	This question is about CFCs
	The use of CECs was hanne

The use of CFCs was banned in the UK in 1989.

(a) Since 1989 safer alternatives to CFCs have been used.

Write down one type of compound that has replaced CFCs.

Choose from the list.

alcohols

alkanes

alkenes

dibromo compounds

enzymes

[1]

(b) Look at the displayed formula of a CFC.

A carbon-chlorine bond in the CFC can break to form highly reactive chlorine atoms.

Explain how, using ideas about electrons.	

.....[1]


(c) CFCs were discovered in the 1930s.

Describe and explain how scientists' attitude to CFCs has changed since their discovery.


.....[2]

13 This question is about fuel cells.

Fuel cells are used in spacecraft.



(a) Look at the energy level diagram for the reaction between hydrogen and oxygen in a fuel cell.



Is the reaction in the fuel cell exothermic or endothermic?

Use the energy level diagram to explain why.

______[1]

(b) Hydrogen gas, H₂, forms hydrogen ions, H⁺, at one electrode in a fuel cell.

$$H_2 \rightarrow 2H^+ + 2e^-$$

The hydrogen ions react with oxygen gas, O_2 , at the other electrode.

Water, H₂O, is made in this reaction.

Write the **balanced symbol** equation for the reaction between oxygen and hydrogen ions.

Use e⁻ to represent an electron.

.....[2]

14 This question is about the rusting of iron and steel.

One disadvantage of ships made from iron is that iron rusts.




	[2]
	Explain how galvanising stops iron from rusting.
(b)	Iron can be galvanised to stop it from rusting.
	[1]
	Write a word equation for the rusting of iron.
	Hydrated iron(III) oxide is made.
(a)	Oxygen and water are needed for iron to rust.

(c) Oil rigs have large steel legs.

These legs are too large to be protected from rusting using galvanising.

The legs are protected from rusting by attaching a sacrificial metal to them.

A metal such as magnesium is often used.



Look at the equation for the reaction that happens.

$$3Mg + 2Fe^{2+} \rightarrow 2Fe + 3Mg^{2+}$$

Explain why this is a redox reacti	on.	

_____[

15 Pete is investigating four different washing powders.

He tests the washing powders by washing dirty clothes at 40 °C.

Look at the table. It shows his results.

Washing powder	Number of washes per pack	Price per pack in £	Overall stain removal (5 = excellent, 1 = poor)	Whiteness (5 = excellent, 1 = poor)	Prevents colour fading (5 = excellent, 1 = poor)
Α	20	3.19	5	4	3
В	25	2.39	5	5	3
С	25	3.00	5	5	4
D	30	3.00	3	2	4

(a) Pete thinks that washing powder **C** is the best to use to wash his clothes.

Is he correct? Explain your answer using information from the table.

Explain how detergents can remove oil stains from clothes.

The quality of written communication will be assessed in your answer to this question.

(b) Pete looks at the washing label on his jacket.

100% LINEN DRY CLEAN ONLY

	[2
Describe what is meant by any sleaning and sugge	sol with the englacker must be any dicurred
Describe what is meant by dry cleaning and sugge	est why Pete's jacket must be dry cleaned

SECTION D

16 The acidity of sea water is increasing.

Scientists think that increased levels of carbon dioxide and sulfur dioxide in the air cause this increase.

Both these gases dissolve in water to make acidic solutions.


The solubility of these gases in water changes with temperature.

The more gas that dissolves in water the more acidic the solution.

(a) Look at graph 1.

It shows the solubility of carbon dioxide in water at different temperatures.

Graph 1 – solubility of carbon dioxide




(i)	At what temperature is the solubility of carbon dioxide 1.4g dissolved in 1kg of water?				
	°C	[1]			
(ii)	Julie has 3.0 kg of water at 10 °C.				
	She predicts she can dissolve 7.5 g of carbon dioxide in this water.				
	Is she correct?				
	Explain your answer using information from the graph.				

(b) Look at graph 2.

It shows the solubility of sulfur dioxide in water at different temperatures.

Graph 2 – solubility of sulfur dioxide



(i) Sulfur dioxide is at least fifty times more soluble in water than carbon dioxide.

Explain how you can tell from graphs 1 and 2.	
	[2]
Use the graph to estimate the solubility of sulfur dioxide at 60 °C.	
g of gas dissolved per kg of water	[1]
The Arctic Ocean is very cold.	
The Indian Ocean is quite warm.	
Suggest why the Arctic Ocean is more acidic than the Indian Ocean.	
Use information from graphs 1 and 2.	
	Use the graph to estimate the solubility of sulfur dioxide at 60 °C. g of gas dissolved per kg of water The Arctic Ocean is very cold. The Indian Ocean is quite warm. Suggest why the Arctic Ocean is more acidic than the Indian Ocean.


(c) Look at the table.

It shows information obtained on sea water near a remote island in the Atlantic Ocean.

Year	pH of sea water	Percentage (%) by volume of carbon dioxide in the air	Mass of carbon dioxide in 1 kg of sea water in g
1990	8.00	0.035	1.50
1995	7.98	0.036	1.51
2000	7.95	0.037	1.52
2005	7.96	0.038	1.53
2010	7.90	0.039	1.55

Ann knows that the lower the pH the more acidic a solution.

Ann makes a conclusion.



Nick thinks that the data in the table is not reliable or valid.

(i)	He thinks that the temperature of the ocean should have been recorded in the table.			
	Suggest why Nick is correct.			
		[1]		
(ii)	Suggest two other reasons why Ann's conclusion may not be reliable or valid.			
		[2]		

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				
• • • • • • • • • • • • • • • • • • • •				



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of the Elements

0 4 He helium 2	20 Ne neon 10	40 Ar argon 18	84 Kr krypton 36	131 Xe xenon 54	[222] Rn radon 86	t fully
7	19 F fluorine 9	35.5 Ct chlorine 17	80 Br bromine 35	127 I iodine 53	[210] At astatine 85	rted but no
9	16 0 0xygen 8	32 S sulfur 16	79 Se selenium 34	128 Te tellurium 52	[209] Po potonium 84	re been repo
5	14 N nitrogen	31 P phosphorus 15	75 As arsenic 33	122 Sb antimony 51	209 Bi bismuth 83	s 112-116 hav authenticated
4	12 C carbon 6	28 Si silicon	73 Ge germanium 32	119 Sn tin 50	207 Pb Itead 82	Elements with atomic numbers 112-116 have been reported but not fully authenticated
8	11 B boron 5	27 Al	70 Ga gallium 31	115 In indium 49	204 Tt thallium 81	nts with ator
			65 Zn zinc 30	112 Cd cadmium 48	201 Hg mercury 80	Elemer
			63.5 Cu copper 29	108 Ag silver 47	197 Au gold 79	Rg roentgenium 111
			59 Ni nicket 28	106 Pd palladium 46	195 Pt platinum 78	Ds darmstadtium 110
			59 Co cobalt 27	103 Rh rhodium 45	192 Ir irridium 77	[268] Mt meitnerium 109
T hydrogen			56 Fe iron 26	101 Ru ruthenium 44	190 Os osmium 76	[277] Hs hassium 108
			55 Mn manganese 25	[98] Tc technetium 43	186 Re rhenium 75	[264] Bh bohrium 107
	mass ol number		52 Cr chromium 24	96 Mo motybdenum 42	184 W tungsten 74	[266] Sg seaborgium 106
Key	relative atomic mass atomic symbol name atomic (proton) number		51 V vanadium 23	93 Nb niobium 41	181 Ta tantalum 73	[262] Db dubnium 105
	relativ ato atomic		48 Ti titanium 22	91 Zr zirconium 40	178 Hf hafinium 72	Rf rutherfordium 104
			45 Sc scandium 21	89 Y yttrium 39	139 La* tanthanum 57	[227] Ac* actinium 89
2	9 Be beryllium 4	24 Mg magnesium 12	40 Ca calcium 20	88 Sr strontium 38	137 Ba barium 56	[226] Ra radium 88
-	7 Li lithium 3	23 Na sodium 11	39 K potassium 19	85 Rb rubidium 37	133 Cs caesium 55	[223] Fr francium 87

* The lanthanoids (atomic numbers 58-71) and the actinoids (atomic numbers 90-103) have been omitted.

The relative atomic masses of copper and chlorine have not been rounded to the nearest whole number.