

GCSE

Mathematics

Unit J560/03: Foundation Tier Paper 3

General Certificate of Secondary Education

Mark Scheme for November 2017

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2017

1. Annotations used in the detailed Mark Scheme.

Annotation	Meaning
\checkmark	Correct
×	Incorrect
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working (after correct answer obtained), provided method has been completed
MO	Method mark awarded 0
M1	Method mark awarded 1
M2	Method mark awarded 2
A1	Accuracy mark awarded 1
B1	Independent mark awarded 1
B2	Independent mark awarded 2
MR	Misread
SC	Special case
\wedge	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B** etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks. It is vital that you annotate these scripts to show how the marks have been awarded.

It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

Subject-Specific Marking Instructions

- M marks are for <u>using a correct method</u> and are not lost for purely numerical errors.
 A marks are for an <u>accurate</u> answer and depend on preceding M (method) marks. Therefore MO A1 cannot be awarded.
 B marks are <u>independent</u> of M (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
 SC marks are for <u>special cases</u> that are worthy of some credit.
- 3. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is <u>not from wrong working</u> **full marks** should be awarded.

Do <u>not</u> award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen <u>and</u> the correct answer clearly follows from it.

4. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT 180 × (*their* '37' + 16), or FT 300 – $\sqrt{(their '5^2 + 7^{2'})}$. Answers to part questions which are being followed through are indicated by eg FT 3 × *their* (a).

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

- 5. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
- 6. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - cao means correct answer only.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - **isw** means **ignore subsequent working** (after correct answer obtained).
 - nfww means not from wrong working.
 - oe means or equivalent.
 - rot means rounded or truncated.
 - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line,
 - even if it is not in the method leading to the final answer.
 - soi means seen or implied.
- 7. Make no deductions for wrong work after an acceptable answer unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
- 8. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
- 9. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for A and B marks. Deduct 1 mark from any A or B marks earned and record this by using the MR annotation. M marks are not deducted for misreads.

Mark Scheme

- 10. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
- 11. If the correct answer is seen in the body and the answer given in the answer space is a clear transcription error allow full marks unless the mark scheme says 'mark final answer' or 'cao'. Place the annotation ✓ next to the correct answer.

If the answer space is blank but the correct answer is seen in the body allow full marks. Place the annotation \checkmark next to the correct answer.

If the correct answer is seen in the working but a completely different answer is seen in the answer space, then accuracy marks for the answer are lost. Method marks would still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation × next to the wrong answer.

- 12. Ranges of answers given in the mark scheme are always inclusive.
- 13. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
- 14. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Q	Question		Answer	Marks	Part marks and guidance		
1	(a)		edges	1	Any clear indication, Eg ringed, others deleted	Condone poor spelling	
	(b)		Accept any clear indication	1	Expect arc or mark (eg cross) at CAB		
	(c)		[a] straight line	1	Any clear indication, Eg ringed, others deleted	Condone poor spelling or line	
2	(a)		$\frac{3}{7}$ oe	1	Accept equivalent eg $\frac{6}{14}$, $\frac{21}{49}$ or 0.428 to 0.429 or 42.8% to 42.9%		
	(b)		5, 6 and 7 cao	2	B1 for $\frac{4}{16}$ or $\frac{8}{16}$ seen or At least one from 5, 6 or 7 (condone 4 and/or 8 included)	Allow $\frac{5}{16}$, $\frac{6}{16}$, $\frac{7}{16}$ for B1	
3	(a)		48	2	M1 for 6 × 2 × 4	May be in stages	
	(b)		8	3	M2 for $\sqrt{\frac{320}{5}}$ or M1 for $\frac{320}{5}$ soi 64 or $5k^2 = 320$		
4	(a)	(i)	-12	1			
		(ii)	256	1			
	(b)		10.35 cao	1			
5	5		-20 2 5	3	B1 for each If 0 scored SC1 for $-4 \times$ <i>their</i> 5 correct	Middle right box	

Q	uestic	on	Answer	Marks	Part marks a	nd guidance
6	(a)		5:2	2	B1 for 30 [:] 12 oe If 0 scored SC1 for 5 : 7 or 2 : 5	Condone same units in ratios B1 for 15 : 6 or 10 : 4 or 2.5 : 1 or 1 : [0].4 may miss ratio signs
	(b)		[0].28	2	B1 for 250 or [0].7 seen or 2500 and 700 or figs 28 in answer If 0 scored SC1 for [1:] 3.57[1]	Condone answer 1 : [0].28 for B2
	(c)	(i)	5000	1		
		(ii)	50	2	M1 for <i>their</i> 5000 ÷ 2 ÷ 50 oe	
7	(a)		15 15 90 20 10	4	B3 for 4 correct or B2 for 3 correct or B1 for 2 correct If 0 scored SC1 for <i>their</i> apple = $2 \times their$ grapefruit	
	(b)	(i)	80	1		
		(ii)	Orange juice might have run out or 50 is a small sample oe [so may not be representative] These are different men so may make different choices oe Scaling may not produce the exact number	1	Any valid practical reason. Eg running out, (others) being promoted. Any valid statistical reason Eg Choices may be in different proportion [in this group]. Expectation so may be different	Do not accept any suggestion that men may have changed their mind. Mark the best part of the statement and ignore any non-contradictory parts

Q	uestic	on	Answer	Marks	Part marks and guidance		
8	(a)		(Men's average + women's average) ÷ 2 oe	1	Accept half way between the two masses/averages oe or $(84 + 70) \div 2$ oe or $(84 - 70) \div 2 + 70$ oe	Allow half way between them or midpoint or added the two and halved May be in stages. Condone missing brackets	
	(b)		Correct reason involving distribution of men/women or not all average Correct example supporting their reason with result ≥ 630	1	Saying he is correct scores 0 for reason mark but may score example marks Some may be overweight 8 men [0 women] 7 men 1 woman 6 men and 2 women M1 for correct calculation supporting their reason wrongly evaluated or correct value ≥ 630 supporting their reason for their example without working or A correct calculation involving a mass and a number of people.	Can carry 9 women is not enough May be a combination of both $8 \times 84 = 672$ $7 \times 84 + 1 \times 70 = 658$ $6 \times 84 + 2 \times 70 = 644$ Eg 8 men weigh 672 kg Multiplication or division Eg 84 × 8 = 672 or $630 \div 84 = 7.5$ or $630 \div 70 = 9$	
9	(a)		(Line 2) [0].25 seen	1		Ignore anything on line 1. Ignore extras in all lines if not wrong	
			(Line 3) $[\frac{1}{4}] \div 2 \text{ or } \times [0].5 \text{ oe}$	1		or contradictory	
			(Line 4) [0].25 + [0].125 = [0].375	1		No FT from wrong values above	

Q	uestic	on	Answer	Marks	Part marks and guidance		
	(b)		5	2	M1 for 1 ÷ [0].05 [× 200] oe or B1 for 250 or [0].25 or × 20 or figs 4 or 5 in answer	Condone 250 on answer line	
10	(a)		7 ⁴	1		Condone 7 ⁴ = 2401 on answer line	
	(b)		$ \begin{array}{c} \times \ 4 \\ 2 \times 2 \times 2 \\ [=] \ 2^6 \end{array} $	2	B1 for one line correct		
	(c)		1.02×10^3 , 3×10^2 , $8.1\times10^{[1]}$, 9.83×10^{-2}	1	Accept 1020, 300, 81, [0].0983	Condone error in writing 0.0983 if order correct.	
11	(a)		4 points plotted and a ruled line joining	2	B1 for 3 points correctly plotted	Line at least between (0, 100) and (150, 25) Use overlay as guide. ¹ / ₂ square accuracy	
	(b)	(i)	198 to 202	1	Do not FT their line		
		(ii)	Battery usage remains the same or Battery can be used right to 0% or Trend or pattern continues	1	Accept For every 50 km it uses 25%		
	(c)	(i)	$-\frac{1}{2}$ oe or -[0].5	1		Ignore units	
		(ii)	100	1	Accept 0, 100		
	(d)		$-\frac{1}{2}d + 100$	1	FT their (c)(i)d + their (c)(ii)	Accept any letter for <i>d</i> (except <i>c</i>)	
	(e)	(i)	-5	2	FT <i>their</i> (d) if linear in <i>d</i> . B1 for correct substitution of 210	Expect $-\frac{1}{2} \times 210 + 100$ Accept any letter for <i>d</i> (except <i>c</i>)	

Q	uesti	on	Answer	Marks	Part marks and guidance		
		(ii)	Impossible [as battery cannot have negative charge] oe	1	FT <i>their</i> (i) only if <i>their</i> equation gives negative outcome		
12	(a)		(0, 1)	2	B1 for $(0,g.)$ $g \neq 1$ or M1 for $y = 2x + 1$ or $y - 2 \times 0 = 1$		
	(b)		4	3	B1 for $c = -2$ or M1 for $y = 3k - 2$ $k \neq 0$ And M1 for $10 = 3k - 2$	B1 soi 3 <i>x</i> – 2 or 3 x number – 2 Allow <i>x</i> for <i>k</i>	
13	(a)		42	2	M1 for $\frac{1.47 \times 10^7}{3.5 \times 10^5}$ oe If 0 scored SC1 for figs 42 in answer	Eg. $\frac{14700000}{350000}$	
	(b)		4.2[3] × 10 ⁹	3	B2 for 4 233 600 000 oe as answer or M1 for <i>their</i> 1.47 × 10 ⁷ × 288 If 0 scored SC1 for figs 423[] in answer	Eg. 423.[36] \times 10 ⁷ <i>their</i> 1.47 \times 10 ⁷ converted from info in (a)	
	(c)	(i)	6450	3	B2 for 6447 to 6448 or M1 for $\frac{1.47 \times 10^7}{(152 \times 15)}$ oe or figs 6447 in answer	May be in stages. NB: 152 × 15 = 2280	

Q	uestic	on	Answer	Marks	Part marks and guidance		
		(ii)	Each machine makes the same amount of sweets. or There are no breakdowns oe or Machines running at same rate oe or All machines run for the same time oe	1			
14	(a)		5.34	4	 B1 for 1.5, 4.5, 7.5, 10.5, 13.5 M1FT for 1.5×6 4.5×10 7.5×6 10.5×2 13.5×1 soi 9, 45, 45, 21, 13.5 or 133.5 M1 for <i>their</i> 133.5 ÷ 25 	At least 4 midpoints correct FT midpoints or either end of range values consistently used Allow one numerical error Four correct products or 133.5 imply B1 and M1	
	(b)		Exact times for each customer are not recorded oe	1		Do not accept, "Because the mid- point is used" or comments on the method used.	
15			1500 × 2 ÷ 100 oe	M1	Follow method if calculations seen Allow $1500 \times [0].02$	Mark by ONE method only 1500 × 1.02 = 1530 scores M1 B2	
			1500 + 30 = 1530	B2	B1 for 30 or 1530 (no addition shown)	30 or 1530 (no working) scores M0B1	
			1530 × 1.05 oe leading to 1606.5[0] OR	M1	or (1606.50 – 1530)÷1530 × 100 [= 5] or 76.50 ÷ 1530 × 100 [= 5]	May be seen in stages Non-calculator method must be complete to score M1 $1\% \rightarrow 1530 \div 100 = 15.3$	
			Alternative marking 2% of $1500 = 301500 + 30 = 15305%$ of $1530 = 76.5[0]1530 + 76.5[0] = 1606.5[0]$	B1 B1 B1 B1	Follow method if explanation seen	$5\% \rightarrow 15.3 \times 5 = 76.5$ 1530 + 76.5 [= 1606.5]	

Q	uestic	on	Answer				Marks	Part marks ar	Part marks and guidance		
16	(a)	(i)	or		ers [are red] ellow in Bag	red] Bag B is 1:3		Accept 1 : 4 = $\frac{1}{5}$ Accept $\frac{1}{4}$ = 1 : 3	Equivalents may be percentages or decimals Eg. Bag A: 20% red, Bag B: 25% red.		
		(ii)	Correct an	swer is ar	y integer m	ultiple of this.	3	B1 for (Bag A) yellow = 4 × red	Eg ×2 ×3		
				Red	Yellow			and A total = B total	8 32 12 48		
			Bag A	4	16	-		B1 for (Bag B) yellow = 3 × red	10 30 15 45 ×4 ×5		
			Bag B	5	15			If 0 scored SC2 for correct figures but transposed horizontally	16 64 20 80 20 60 25 75 ×6 ×10		
									24 96 40 160 30 90 50 150		
	(b)		20 nfww				3	B1 for two ratios equivalent to 3:4M1 for <i>their</i> 15:20 reduced to (15-3):20	6:8, 9:12, 12:16, 15:20, <i>their</i> 15:20 any ratio but not 3:4		
								Alternative approach	using equivalent fractions:		
								B1 for two fractions equivalent to $\frac{3}{7}$	$Eg\frac{6}{14}or\frac{9}{21}or\frac{12}{28}or\frac{15}{35}$		
								M1 for <i>their</i> $\frac{15}{35}$ reduced to $\frac{15-3}{32}$	their $\frac{15}{35}$ any fraction but not $\frac{3}{7}$		

Q	Question		Answer		Part marks an	d guidance
17		3 : 8 cao		4	Using fractionsM1 for $\frac{1}{4}$ [+] $\frac{1}{4}$ [+] $\frac{1}{8}$ M1 for 1 - their $\frac{5}{8}$ B1 for their $\frac{3}{8}$: $\frac{8}{8}$	May be on diagram
					<u>Using Areas</u> M1 for un-shaded area = $2 \times 2 \times 1 \div 2 + 1 \times 1 \div 2$ (=2.5) oe M1 shaded area = <i>their</i> 4 – <i>their</i> 2.5 B1 for <i>their</i> (1.5 : 4)	Any side length allowed eg $1 \rightarrow 0.625 (1)$ $5 \rightarrow 15.625 (25)$ $2 \rightarrow 2.5 (4)$ $6 \rightarrow 22.5 (36)$ $3 \rightarrow 5.625 (9)$ $7 \rightarrow 30.625 (49)$ $4 \rightarrow 10 (16)$ $8 \rightarrow 40 (64)$
18	(a)		Correct ruled line reaching AB and two pairs of correct arcs	2	B1 for correct ruled line reaching AB without all arcs or correct ruled line with arcs but short	Tolerance ±2°
	(b)	(i)	Correct ruled line reaching AD through E and two pairs of correct arcs	2	B1 for correct ruled line reaching AD without all arcs or correct ruled line with arcs but short or perpendicular ruled line from BC to another side	Tolerance ±2°
		(ii)	118 to 122	2	 Strict FT for all marks. Follow through <i>their</i> straight line in (b)(i) from entrance to another side B1 for <i>their</i> 11.8 to 12.2 [cm] 	Use ruler and measure to 2 mm accuracy

Question	n Answer	Marks	Part marks and guidance		
19	<i>a</i> + <i>b</i> = 110 oe	1			
	4 <i>a</i> + 2 <i>b</i> = 360 oe	1	Accept 2 <i>a</i> + <i>b</i> = 180		
	<i>a</i> = 70	1		Ignore units	
	<i>b</i> = 40	1	FT from <i>their a</i> or <i>b</i> seen correctly substituted in one equation		
			If 0 scored SC1 for any <i>a</i> and <i>b</i> (not $a = 70$ and $b = 40$) as answer that sum to 110		
20	2a – 1 [+ 2a +] 2a + 1	1			
	6a = 250	1	Not from <i>a</i> + 2 <i>a</i> + 3 <i>a</i>		
	$250 \div 6 = 41.6[]$ oe or 250 ÷ 6 is not an integer	1			
	Alternative				
	81 + 82 + 83 = 246	1		First two numerical steps may be in	
	83 + 84 + 85 = 252	1		reverse order and other sums may be seen (ignore)	
	82.3[3] + 83.3[3] + 84.3[3] oe and impossible as not integer oe	1	If 0 scored SC1 for one of 2 <i>a</i> – 1 or 2 <i>a</i> + 1 or 41.6[] or 83.3[] seen		

OCR (Oxford Cambridge and RSA Examinations) 1 Hills Road Cambridge CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998 Facsimile: 01223 552627 Email: <u>general.qualifications@ocr.org.uk</u>

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee Registered in England Registered Office; 1 Hills Road, Cambridge, CB1 2EU Registered Company Number: 3484466 OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations) Head office Telephone: 01223 552552 Facsimile: 01223 552553 Cambridge

