



GCSE (9–1) Physics A (Gateway Science) J249/02 Paper 2 (Foundation Tier)



Sample Question Paper

Date - Morning/Afternoon

Time allowed: 1 hour 45 minutes

You must have:

• the Data Sheet

You may use:

- a scientific or graphical calculator
- a ruler



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- · Write your answer to each question in the space provided.
- Additional paper may be used if required but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the bar codes.

INFORMATION

- The total mark for this paper is 90.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 24 pages.



SECTION A


Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

1	Whi	ch of these electromagnetic waves has the highest frequency?	
	Α	microwaves	
	В	gamma rays	
	С	ultra-violet rays	
	D	radio waves	
	Your	answer	[1]
2	Whi	ch correctly describes electricity supply to homes in the UK?	
	Α	50 Hz a.c.	
	В	50 Hz d.c.	
	С	230 Hz a.c.	
	D	230 Hz d.c.	
	Your	answer	[1]
3	A st	udent picks up a very hot plate.	
	Wha	at is the shortest time the student can react and drop the plate?	
	Α	2 milliseconds	
	В	0.2 seconds	
	С	2 seconds	
	D	0.2 minutes	
	Your	answer	[1]

4 A longitudinal wave passes through a slinky spring. The coils of the spring vibrate backwards and forwards.

The diagram shows the position of the coils at a point in time whilst the wave is passing through.



Which pair of coils are one wavelength apart?

Α	۱۸/	and	X
A	٧V	anu	\sim

B W and Z

C X and Y

D Y and Z

Your answer	

[1]

5 Which of these is **not** true of all electromagnetic waves?

- A They are transverse waves
- **B** They have the same wavelength
- **C** They can travel through a vacuum
- **D** They travel at 300 000 000 m/s

Your answer	

[1]

		4		
6	Whi	ch of these travels as a longitudinal wave	?	
	Α	light from a torch		
	В	ripples from a stone dropped in water		
	С	sound from a loudspeaker		
	D	ultra-violet from the Sun		
	Your	answer		[1]
7	A ra	y of green light shines through a glass pris	sm.	
		ray of green light	glass prism	
		ray travels through the prism and out of th		
	Whi	ch diagram shows the correct path of the r	ay?	
	A		В	-
	c 		D	

© OCR 2016 J249/02

Your answer

8	The	Sun was formed from a cloud of dust and gas.		
	Which force brought together the particles of the cloud?			
	Α	electrostatic		
	В	frictional		
	С	gravitational		
	D	magnetic		
	Your a	answer	[1]	
9	Whic	th of these is evidence for an expanding universe?		
	Α	Light from galaxies is red shifted.		
	В	Nuclear fusion occurs in stars.		
	С	Many stars have orbiting planets.		
	D	Stars were formed from dust and gas.		
	Your a	answer	[1]	
10	What	t is the number of neutrons in this isotope of uranium?		
		238 92 U		
	Α	92		
	В	119		
	С	146		
	D	238		
	Your a	answer	[1]	

11	All ra	adioactive sources have a half-life.	
	Whi	ch statement about the half-life of a source is correct?	
	Α	It is half the time for the radioactive source to become safe.	
	В	It is half the time it takes for an atom to decay.	
	С	It is half the time it takes the activity of the source to decrease to zero.	
	D	It is the time it takes the activity of the source to decrease by half.	
	Your	answer	[1]
12	Whi	ch wall would allow the most heat transfer through the wall?	ניו
	Α	Thick wall made from a material with high thermal conductivity.	
	В	Thick wall made from a material with low thermal conductivity.	
	С	Thin wall made from a material with high thermal conductivity.	
	D	Thin wall made from a material with low thermal conductivity.	
	Your	answer	[1]
13	Why	are high voltages used to transfer electrical power from power stations in the Nation	nal
	Grid	?	
	Α	allows low resistance wires to be used.	
	В	produces a higher current.	
	С	reduces energy losses.	
	D	voltage can be changed using transformers.	
	Your	answer	[1]

14 A radio transfers 30 J of potential energy to 27J of useful energy.

What is the efficiency and energy loss for the radio?

	Efficiency	Energy loss
Α	10%	3J
В	10%	27J
С	90%	3J
D	90%	27J

Your answer	

[1]

15 A boy kicks a football.



The football has a mass of 400 g.

What is the potential energy of the football when it is 0.8 m above the ground?

Use the constant: gravitational field strength (g) = 10 N/kg.

Λ	$^{\circ}$	റാറ	
A	U.	032	J

B 3.2 J

C 320 J

D 3 200 J

Your answer	

[1]

SECTION B

Answer **all** the questions.

16 Many power stations burn fuels to generate electricity.

Fuels can be renewable or non-renewable.

(a)	Wood is	used in	some	power	stations
-----	---------	---------	------	-------	----------

Why is it called a renewable fuel?


.....[1]

(b) Rachael has completed her homework on fuels used in power stations.Look at her table below.

Fuel	Туре	
Wood	renewable	
Plant and vegetable oils	renewable	
Peat	non-renewable	
Coal	renewable	
North Sea gas	non-renewable	
Uranium	renewable	

She has made **two** mistakes, identify these in the table by putting a cross (**x**) next to them.

(c) Power stations produce electrical energy and use the National Grid to send it to factories and homes in the UK.



State what a step-up transformer does.	
	[1]

(d) Domestic UK electrical wiring uses live, neutral and earth wires.

A step-up transformer is used in the National Grid.

Complete the two empty boxes and then draw lines to match up the wires to their colour and function.


Wire	Colour	Function	
Live		Completes the circuit	
Earth	brown		
Neutral	yellow and	Has a high potential	
	green	difference	[4]

17 Matt experiments with radioactive materials.

He investigates how the activity of radiation changes with distance.

The radiation moves from the source to a detector.

He measures the counts per minute from a radioactive source.



The table shows the results from the experiment.


Distance between the source and the detector (cm)	Count rate (counts per minute)
10	1000
20	240
40	60
80	20

[1]

© OCR 2016 J249/02

(a) Matt could **not** take an accurate reading at 0 cm.

(b) (i) Two points for 10 cm and 40 cm have been plotted on the graph below.Plot the rest of Matt's results and join the points with a smooth curve.



(ii) Use the graph to estimate the reading at 30 cm.

answer: counts per minute [1]

[2]

[2]

(c) (i) What pattern is shown by the results as the distance is increased from 20 cm to 40 cm?

Estimate the count rate at a distance of 5 cm.	
answer: counts per minute	[1]

(d) Matt thinks that his results show that keeping your distance from radioactive materials is a good thing.

Matt wants to find the count rate at 5 cm.

(ii)


Radioactive material	State	Distance from source	Irradiation risk	Contamination risk
Α	solid	1m	high	none
Α	solid	4m	low	none
В	gas	1m	very high	high
В	gas	4m	high	high

He writes down his conclusions about two radioactive sources in a table.	
Describe the difference in the risks for irradiation and contamination for A and B .	
	[4]

18	Roc	kets carry satellites into space.	
	(a)	These satellites are kept in orbit around a planet by a force.	
		What is the name of this force?	
			[1]
	(b)	Write down the name of the Earth's natural satellite.	
			[1]
	(c)	A rocket carrying a vehicle called the Mars Rover was sent to Mars.	
		The Mars Rover has a mass of 185 kg.	
		The gravitational field strength (g) on Mars is 3.75 N/kg.	
		Calculate the weight of the Rover vehicle on Mars.	
		Show your working and give your answer to 3 significant figures.	
		State the unit for weight.	
		answer: unit	[5]
	(d)	Why did the Mars Rover weigh more on Earth than on Mars?	

[1]

19 Alex has two radiators in her home. They are filled with 10 kg of different liquids.



The table below shows information about oil and water.

Material	Specific heat capacity (J/kg°C)	Freezing point (°C)	Boiling point (°C)
Oil	1 700	-24	250
Water	4 200	0	100


(a)	Alex's conservatory can be very cold.	
	Sometimes it can get as low as -6 °C.	
	Alex thinks that the oil radiator may be better for the conservatory.	
	Suggest why.	
		[1]
(b)	Both radiators have a 'cut-out' which prevents them getting hotter than 60 °C.	
	Suggest why.	
		[1]

(c)	Alex	does a calculation.	
	She	knows that the oil heater produces 800 J of energy each second.	
	Calc	culate the energy produced by the oil heater in 10 minutes.	
	ans	wer: J	[2]
(d)	(i)	Alex wants the oil heater to heat up by 40°C.	
		How much energy is needed? Show your working.	
		answer:J	[2]
	(ii)	She supplies enough energy to heat up the oil radiator by 40°C but it only heats	
		up to 32°C.	
		Suggest two reasons why.	
			[2]

20 Kate investigates how well different balls bounce.

She drops different balls from the same height and measures the height the balls bounce.

She repeats the experiment 3 times for each ball.



Her results are shown in the table.

Ball	Drop height (cm)	1 st reading bounce height (cm)	2 nd reading bounce height (cm)	3 rd reading bounce height (cm)	Mean bounce height (cm)
Red	100	75	77	73	75
Blue	100	61	62	60	61
Green	100	60	31	58	
White	100	84	86	85	85
Yellow	100	26	24		26

(a)	Calculate the mean bounce height for the green ball.	
		[1]

© OCR 2016 J249/02

answer:.....cm

(b)	Kate	e forgot to write down one of the results for the yellow ball.	
	Sug	gest the value of the missing result for the yellow ball.	
	ans	wer: cm	[1]
(c)	Eval	uate the reliability of the results	
	Sug	gest how she could have improved her experiment.	
			[3]
(d)	(i)	Kate suggests that 15% of the white ball's initial energy was not transferred usefully. Use calculations to show that this is correct and suggest where the energy was transferred to.	
			[2]
	(ii)	How could the efficiency of the ball be improved?	
			[1]
(e)	Expl	ain how energy is transferred and lost from the ball when it bounces.	
			[2]


The table below shows the stopping distances for a car.

Speed of car (m/s)	Thinking distance (m)	Braking distance (m)	Total stopping distance (m)
8	6	6	12
16	12	24	
32		96	120

(a)*	Analyse the data in the table and use it to describe the trends shown.	
	Suggest reasons for the differences in the patterns in the data.	
		[6]
		ıhl

(b) The car takes 6 m to brake when moving at 8 m/s.

Look at the graph of a car travelling at 8 m/s, starting to brake and then stopping.



king

Show your working and state the unit.

answer:unit.....

[4]

(ii)	The car has a braking force of 5000 N.
	Calculate the work done by the brakes on the car.

answer: J [2]

(c) If a driver is tired how will this affect the braking distance?

Explain your answer.

.....[2]

22 (a) A crowd makes a Mexican wave.

A Mexican wave **starts** with people lifting and lowering their arms.




The Mexican wave **continues** by people, next to them, lifting and lowering their arms.

۸/h،	. : ~	_	1/01/1000			~ ~ ~	. .	transverse	
vvriv	/ 15	\boldsymbol{a}	MEXICAL	wave at	ı examı	oie o	11 7	Iransverse	WAVE 4
,		u	WICKICALL	marc a.		9.00			marc.

 	[1]

(b) In the classroom a teacher demonstrates waves using a rope.

Look at the diagram of the wave.



(i) The frequency of the wave is 2 Hz.

What does this statement mean?

[2]

(c)

(ii)	How many seconds will it take this wave to travel 12 m?	
	Show your working.	
	answer: seconds	[3]
Ultras	sound scans are used to produce images of tissues inside the body.	
	ultrasound scanner emits and receives ultrasound	
	1000/100 dillidocultu	
	tissue layers in the body	
Ultras	sound waves are emitted.	
They	reflect from layers of tissue inside the body.	
Expla	ain how the reflections are used to produce an image of the tissues.	

.....[3]

(d) Ultrasound and X rays are used to scan patients in hospitals.

Complete the table to show a medical use, benefits and risk of using these waves to scan patients.

Wave	Medical use	Example of a benefit	Risk
X-rays	Shows up hard	Takes images of	Damages living
	tissues inside the	broken bones.	cells by causing
		broken benee.	Solid by Sadding
	body.		
ultrasound			None

[3]

23 A car on a roller coaster is stationary at the top of a slope.

It has a weight of 6 500 N and a potential energy of 217 000 J.		
(a)	Calculate how high above the ground it is.	
	answer:m	[2]
(b)		
	The energy at the bottom of the slope is lower than expected.	
	Suggest two ways to improve the efficiency of the roller coaster car.	
		[2]

END OF QUESTION PAPER



Copyright Information:

 $\hbox{@ sofist. Image supplied by iStock,} \, \underline{\hbox{www.istockphoto.com}}$

© SergeyDV. Image supplied by Shutterstock, www.shutterstock.com

OCR is committed to seeking permission to reproduce all third-party content that it uses in the assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

