

You must have: • the Data Sheet You may use:

a ruler

GCSE (9–1) Physics A (Gateway Science) J249/04 Paper 4 (Higher tier) Sample Question Paper

Date – Morning/Afternoon

Time allowed: 1 hour 45 minutes

a scientific or graphical calculator



| | * | 0 | 0 | 0 | 0 | 0 | 0 | * | |
|--|---|---|---|---|---|---|---|---|--|

| First name | |
|------------------|---------------------|
| Last name | |
| Centre number | Candidate number |

INSTRUCTIONS

- Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- Answer all the questions.
- Write your answer to each question in the space provided.
- Additional paper may be used if required but you must clearly show your candidate number, centre number and question number(s).
- Do not write in the bar codes.

INFORMATION

- The total mark for this paper is **90**.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- This document consists of **28** pages.

SECTION A

Answer **all** the questions.

You should spend a maximum of 30 minutes on this section.

A radio transfers 30 J of potential energy to 27 J of useful energy.What is the efficiency and energy loss for the radio?

| | efficiency | energy loss | |
|---|------------|-------------|--|
| A | 10% | 3 J | |
| В | 10% | 27 J | |
| С | 90% | 3 J | |
| D | 90% | 27 J | |

Your answer

2 A boy kicks a football.



The football has a mass of 400 g.

What is the potential energy of the football when it is 0.8 m above the ground?

Use the constant: gravitational field strength (g) = 10 N/kg.

- **A** 0.032 J
- **B** 3.2 J
- **C** 320 J
- **D** 3 200 J



3 The National Grid transfers energy efficiently using high voltages.

Why are high voltages more efficient?

- A High voltages produce a high current which heats wires less.
- **B** High voltages produce a low current which heats wires more.
- **C** High voltages produce a high current which heats wires more.
- **D** High voltages produce a low current which heats wires less.

Your answer

- 4 Which statement describes nuclear fusion?
 - A Two hydrogen nuclei join to form a helium nucleus.
 - **B** A helium nucleus joins with a hydrogen nucleus to form an alpha particle.
 - **C** Uranium nuclei split and produce high energy neutrons causing a chain reaction.
 - **D** Two helium nuclei join to form a hydrogen nucleus.

Your answer

5 Which row correctly describes the domestic electricity supply in the UK?

| | a.c. or d.c. | frequency (Hz) | voltage (V) |
|---|--------------|----------------|-------------|
| A | a.c. | 50 | 230 |
| в | a.c. | 230 | 50 |
| С | d.c. | 50 | 230 |
| D | d.c. | 230 | 50 |

Your answer

[1]

[1]

- **6** What is a typical weight of an empty single decker school bus?
 - **A** 1 200 N
 - **B** 12 000 N
 - **C** 120 000 N
 - **D** 1 200 000 N

Your answer

[1]

- 7 How was the Sun formed?
 - A From dust and gas pushed together by gravity leading to a fission reaction.
 - **B** From dust and gas pulled together by gravity leading to a fusion reaction.
 - **C** From dust and gas pushed together by gravity leading to a fusion reaction.
 - **D** From dust and gas pulled together by gravity leading to a fission reaction.

Your answer

8 An element has more than one isotope.

Which correctly describes the atoms of all isotopes of this element?

| | Numbers of electrons | Numbers of protons | Numbers of neutrons |
|---|----------------------|--------------------|------------------------|
| A | different | different | different |
| В | same | different | different |
| С | same | same | different |
| D | same | different | same |

Your answer

[1]

- 9 The most abundant form of radium is radium-226.Its nuclear mass is 226 and its nucleus contains 138 neutrons.Which is an **isotope** of radium?
 - A nuclear mass 226; 137 neutrons
 - B nuclear mass 226; 139 neutrons
 - **C** nuclear mass 227; 138 neutrons
 - **D** nuclear mass 227; 139 neutrons

Your answer

10 A sound wave travels from water into air.

Its wavelength in air is longer than in water.

How do the frequency and speed of the wave in air compare with their values in water?

| | Frequency in air | Speed in air |
|---|------------------|--------------|
| Α | higher | faster |
| В | higher | same |
| С | same | faster |
| D | same | same |

[1]

11 Red light refracts when it enters glass from air because its speed changes.



The red light is replaced by blue light.

Which statement is correct about the refraction of blue light?

- A It refracts less than red because its speed in glass is greater than red.
- **B** It refracts less than red because its speed in glass is less than red.
- **C** It refracts more than red because its speed in glass is greater than red.
- **D** It refracts more than red because its speed in glass is less than red.

Your answer

12 Which row **increases** the efficiency of a machine?

| | increase energy losses due to friction | increase the work output without |
|---|--|-------------------------------------|
| | | input |
| Α | Yes | yes |
| в | Yes | no |
| C | No | no |
| D | No | yes |
| | | |

Your answer

[1]

- **13** A hockey player used pads on her legs to reduce injuries when hit by the ball. How do the pads affect the ball?
 - A The acceleration and force of the ball is reduced.
 - **B** The acceleration of the ball is increased and the force is decreased.
 - **C** The acceleration of the ball is decreased and the force is increased.
 - **D** The acceleration and force of the ball is increased.
 - Your answer
- 14 Radium-226, $\frac{226}{88}$ Ra, decays to become radon-222, $\frac{222}{86}$ Rn.

What is emitted when a nucleus of radium-226 decays?

- A a beta particle
- **B** an alpha particle
- **C** four neutrons
- D four protons

Your answer

15 A radioactive source has a half-life of 80 s.

How long will it take for $^{7}/_{8}$ of the source to decay?

- **A** 10 s
- **B** 70 s
- **C** 240 s
- **D** 640 s

[1]

Section B

Answer **all** the questions.

- 16 A crowd makes a Mexican wave.
 - A Mexican wave **starts** with people lifting and lowering their arms.



The Mexican wave **continues** by people, next to them, lifting and lowering their arms.

(a) Why is a Mexican wave an example of a transverse wave?

[1]

(b) In the classroom a teacher demonstrates waves using a rope.

Look at the diagram of the wave.



(i) The frequency of the wave is 2 Hz.

What does this statement mean?

.....



[3]

(c) Ultrasound scans are used to produce images of tissues inside the body.



Ultrasound waves are emitted.

They reflect from layers of tissue inside the body.

Explain how the reflections are used to produce an image of the tissues.

[3]

(d) Ultrasound and X rays are used to scan patients in hospitals.

Complete the table to show a medical use, benefits and risk of using these waves to scan patients.

| Wave | Medical use | Example of a benefit | Risk |
|------------|--|-------------------------------|------------------------------------|
| X-rays | Shows up hard tissues inside the body. | Takes images of broken bones. | Damages living cells by causing |
| | | | |
| ultrasound | | | None |
| | | | |
| | | | |
| (| 3 | | |

[3]

17 A car on a roller coaster is stationary at the top of a slope.

It has a weight of 6 500 N and a potential energy of 217 000 J.

(a) Calculate how high above the ground it is.

(b)

- Penetration Radioactive Type of Half-life through radiation isotope human flesh Α 300 years alpha 2mm В 7 hours beta 60mm С 7 hours > 10m gamma D 9 seconds alpha 2mm Ε 3 years > 10m gamma
- 18 The information below shows information on radioactive isotopes.

A doctor injects a patient with isotope **C** to track blood flow through the body. (a)

Use the data to suggest why the doctor uses isotope **C**.

. *. .* [1]

A doctor implants radioactive isotope A into a patient to treat a localised cancer (b)

which is a few mm in size.

She intends to remove the isotope in a few weeks.

Use the data to suggest two reasons why the doctor uses isotope A.

[2]

A doctor wants to irradiate a tumour using gamma rays. (C) Why does the activity of the source need to be checked before it is used on a patient? [2]

19* Scientists collect evidence from the universe and develop theories to explain their observations.
Here are three absorption spectra showing red shift. The white arrows show the relative position of the same band in the absorption spectra of a star, a nearby galaxy and a distant galaxy.



Using your knowledge of red shift, describe how the information in the diagrams supports the idea of the Big Bang model.

| [6] |
|---------|
| |

20 Kate investigates how well different balls bounce.

She drops different balls from the same height and measures the height the balls bounce.

She repeats the experiment 3 times for each ball.



100 cm drop

Her results are shown in the table.

| Ball | Drop height (cm) | 1 st reading bounce height (cm) | 2 nd reading bounce height (cm) | 3 rd reading bounce height (cm) | Mean bounce height (cm) |
|--------|---------------------|--|--|--|-------------------------------|
| blue | 100 | 61 | 62 | 60 | 61 |
| green | 100 | 60 | 31 | 59 | 50 |
| white | 100 | 84 | 86 | 85 | 85 |
| yellow | 100 | 26 | 24 | | 26 |

| (a) | Kate forgot to record one of the results for the yellow ball. | |
|-----|--|-----|
| | Suggest the value of the missing result. | |
| | | |
| | | |
| | answer: cm | |
| | | [1] |
| | | |
| (b) | Josh does an experiment with bouncing balls. | |
| | He does his experiment with a drop height of 200 cm . | |
| | One ball bounces 100 cm. | |
| | Josh says that this ball is a better bouncer than any of Kate's. | |
| | Use the data and ideas about efficiency to explain why Josh is incorrect. | |
| | | |
| | | |
| | | [2] |
| | | |
| (c) | Josh uses a new ball. He says this ball is an amazing bouncer. | |
| | He says if you drop it from 200 cm it will bounce to a height of 250 cm. | |
| | Explain why this is not possible. | |
| | | |
| | | |
| | | [2] |

21 Alex has two radiators in her home. They are filled with 10 kg of different liquids.

The radiators have different power ratings.

| oil-filled radiator | | water-filled radiator | |
|--|---------------------------------------|--|---|
| | Heater contains 10 kg of oil | | Heater contains 10 kg of water |
| 400 W heater | | 1000 W heate | er |
| Specific heat capacity for oil is 1680 J/kg⁰C | | Specific heat capacity for water is 4200 J/kg ⁰ C | |

(a) The heaters are turned on and the temperature of each rises by 40 °C in

1 680 seconds.

Use the data to show that the heaters take the same time to heat up.

[4]

(b) Alex has two fires in her home, X and Y shown in the diagrams below.



- - (b) An artificial satellite (X) is kept in a stable circular orbit around a planet by a centripetal force caused by gravity.



remains the same when it is in orbit.

(ii) The satellite is remotely controlled from Earth.

The scientists want the satellite to move slower.

What effect will this change in speed have on the height of its orbit?

Explain your answer.



- 20
- **23** The diagram below shows the structure of a transformer.



(c) Voltage is increased before transmission through the National Grid.

It is increased from 25 000 V up to 400 000 V. This increases the voltage 16 times.

(i) How much would this increase in voltage affect the current?

.....[2]

(ii) Use the formula: power = current² x resistance
to explain why this voltage increase is important to power loss in transmission
cables.

24 Matt experiments with radioactive materials.

He investigates how the activity of radiation changes with distance.

The radiation moves from the source to the detector.

He measures the counts per minute from a radioactive source.



The table shows the results from the experiment.

| Distance between the source and the detector (cm) | Count rate (counts per minute) |
|--|-----------------------------------|
| 10 | 1024 |
| 20 | 256 |
| 40 | 64 |
| 80 | 16 |

(a) Describe using the data in the table how the count rate changes as the detector is moved away from the source.

.....[2]

(b) Matt does two further readings at 160 cm and 320 cm.

His results are in the table below.

| Distance between the source and the detector (cm) | Count rate (counts per minute) |
|---|-----------------------------------|
| 10 | 1024 |
| 20 | 256 |
| 40 | 64 |
| 80 | 16 |
| 160 | 6 |
| 320 | 0 |

As the distance is increased to 160 cm and 320 cm the results do not follow the

same pattern as the other results.

What do you think these results should have been?

Explain the anomalies in the last two results.

[3]

Treatment is given for 15 minutes every 4 days.

Each patient receives a certain dose of radiation.



Explain how this treatment reduces damage to healthy cells.

| [4] | |
|------------------|---------|
| [4] | |
| [4] | |
| [4] | |
| [4] | |
| [4] | |
| | |
| | |
| [4] | |
| [4] | |
| [¹] | [4] |
| | [-1 |

- Thinking Speed of car (m/s) **Total stopping** Braking distance (m) distance (m) distance (m) 4 3 1.5 4.5 8 6 6 12 16 12 24 36 32 24
- **25** The table shows the stopping distances for a car.

(a) Use the data given to fill in the information missing at a speed of 32 m/s.

[2]

(b) The car takes 6 m to brake when moving at 8 m/s.

Look at the graph of the car as it starts to brake and then stopping.



(d) Cars and lorries have different brakes.

Brakes absorb the energy of the vehicle before it comes to rest.

The brakes on lorries have larger brake discs and brake pads than cars.

Brakes are designed for increased air flow.

Explain why this is more important for lorries than cars.

[4]

END OF QUESTION PAPER

BLANK PAGE

Copyright Information:

© sofist. Image supplied by iStock, <u>www.istockphoto.com</u> © Mark Kostich. Image supplied by iStock, <u>www.istockphoto.com</u>

OCR is committed to seeking permission to reproduce all third-party content that it uses in the assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.